| Thematic Section: | Chemistry of Natural | Compounds. | Full Paper |
|-------------------|----------------------|------------|-------------------|
| | | | |

Subsection: Chemistry of Wine. Registration Code of Publication: 10-19-1-61

Publication is available for discussion in the framework of the on-line Internet conference "*Butlerov readings*".

http://butlerov.com/readings/
Contributed: February 30, 2010.

Prognostication of the aggregate antioxidant activity of red wines on the basis of physical-chemical parameters

© Elena V. Gorbunova, Mikhail K. Gerasimov, and Anatoliy A. Lapin³*⁺

State inspection of the Republic Tatarstan for providing the state control over the production, circulation and quality of ethyl alcohol, alcoholic products and consumer protection. Khady Taktash St., 94.

Kazan, 420107. Republic of Tatarstan. Russia. E-mail: sheridans@mail.ru

Department of food production equipment. Kazan state technological university. K. Marx St., 68.

Kazan, 420015. Republic of Tatarstan. Russia. Phone: +7 (843) 231-43-81.

Central analytical laboratory for chromatographic methods of analysis.

Kazan state power engineering university. Krasnoselskaya St., 5. Kazan, 420066. Republic of Tatarstan.

Russia. Phone: +7 (843) 519-42-67. E-mail: lapin@iopc.ru

*Supervising author; *Corresponding author

Keywords: aggregate antioxidant activity, method of multiple correlation, physical-chemical parameters, red wines.

Abstract

The purpose of the given work consists in studying some physical and chemical parameters contributing to antioxidant activity of red wines and attempted forecasting the aggregate antioxidant activity of red dry wines on the basis of the obtained data. 59 patterns of red dry wines of import manufacture of various quality grades have been analyzed, in which the following parameters were estimated: the aggregate antioxidant activity, mass concentration of the general extract, mass concentration of the given extract, mass concentration of phenolic substances, mass concentration of sulphurous acids. On the basis of the obtained data the equations of regression have been derived.