Full Paper	Thematic Section: Applied Chemistry.
Registration Code of Publication: 10-22-10-42	Subsection: Elastomers.
Publication is available for discussion in the framework of the on-line Internet conference "Butlerov readings".	
http://butlerov.com/readings/	
Contributed: November 1, 2010	

Thematic direction: Research of influence of technological additives on properties of rubbers on the basis of BNR new generation. Part 4.

Powder stabilizers on a basis novantox 8 PFDA

© Nikolay I. Koltsov, 1** Nikolay F. Ushmarin, Lina G. Rogozhina, Svetlana A. Issakova, Anastasia V. Jarutkina, Anzhelika Y. Plehanova, and Michael V. Kuzmin

¹ Department of physical chemistry and macromolecular compounds. Chuvash state university of I.N. Ulyanov. Moscow St., 15. Cheboksary, 428015. Chuvash republic. Russia.

Phone: +7 (8352) 45-24-68. E-mail: koltsovni@mail.ru

² Technical department to rubber-technical products of cheboksary production association of V.I. Chapaeva. Socialist St., 1. Cheboksary, 428006.

Chuvash republic. Russia. Phone: +7 (8352) 39-62-39.

Keywords: stabilizers, novantox 8 PFDA, acethonanil N, naftama-2, deafen FP, fillers, a chalk chemically precipitated, white soot BS-120, rosil 175, butadien-nitrilnye rubbers, oil-insoluble and petrol-resistant rubbers, plasto-elastice properties, physical-mechanical properties, repeated strains, thermal stability, heat ageing.

Abstract

On the basis of novantox 8 PFDA, mineral fillers of chemically precipitated chalk, white soot BS-120 and rosil 175 dust-free powder stabilizers are developed. These powder stabilizers as a part of rubbers on the basis of butadien-nitril rubbers of the new generation are studied. It is proved that fillers do not effect the stabilizing properties of novantox 8 PFDA and its powder forms is effective antifatigue agent and stabilizers of thermally sound rubbers. They together with diafen FP allow to obtain ozone-resistant rubbers. Introduction into the protection system of powder forms of novantox 8 PFDA improves the dynamic properties of cured stocks as well as conserves their hardness after the influence of elevated temperatures and severe atmosphere.

^{*}Supervising author; *Corresponding author