Full Paper

Registration Code of Publication: 11-25-4-90 Publication is available for discussion in the Internet as a material of "All-Russian Working Chemical Conference "Butlerov's Heritage-2011". http://butlerov.com/bh-2011/ Contributed to editorial board: March 6, 2011.

Transformation of methane under the influence nanoscale phases of clay minerals

© Igor P. Kosachev,¹*⁺ Viktor G. Izotov,² Lala M. Sitdikova,² and Ildar M. Magdeev¹

¹Technology Laboratory. Establishment of the Russian Academy of Sciences Institute of Organic and Physical Chemistry. A.E Arbuzov, Kazan Scientific Center, Russian Academy of Sciences Arbuzov St., 8. Kazan, 420088. Republic of Tatarstan. Russia Phone: +7 (843) 272-73-84. Fax: +7 (843) 272-73-34. E-mail: kosachev@iopc.ru ² Department of Regional Geology and Mineral Resources. Kazan (Volga Region) Federal University Kremlin St., 18. Kazan, 420008. Republic of Tatarstan. Russia. Phone/fax: +7 (843) 238-84-71. E-mail: sitdikova8432@mail.ru

*Supervising author; ⁺Corresponding author

Keywords: methane, the catalytic transformation, the clay minerals of sedimentary cover, nanophase, gaseous hydrocarbons, metallic reactor pressure, hydrochloric acid.

Abstract

The possibility of catalytic transformation of methane under the influence of clays of the sedimentary cover treated hydrochloric acid solutions at temperatures 3000 °C and pressures 8-10 atm. The catalytic activity of natural clays associated with the presence of nanoscale phases, whose formation may occur naturally, such as in areas of destructions of the crystalline basement and in the processing of clay sedimentary cover of aqueous solutions of hydrochloric acid. Methane conversion during the experiment is over 60% and the yield of hydrocarbons of about 1%.