

Identification and analytical characteristics of two new-type synthetic cannabinoids of indazole

© Vadim A. Shevyrin,^{1*†} Vladimir P. Melkozerov,² and Yury Yu. Morzherin³

¹Base Expert and Criminalistics' Department. Regional Organization of Federal Drug Control Service of the Russian Federation in Sverdlovsk Region. Stepan Razin St., 31. Ekaterinburg, 620142. Russia.

Phone: +7 (343) 251-82-30. E-mail: vadim.shevyrin@gmail.com

²Expert and Criminalistics' Center of Sverdlovsk Department of the Russian Ministry of Interior.

Lenin St., 17. Ekaterinburg, 620014. Russia. E-mail: experts@ru66.ru

³Ural Federal University. Mira St., 19. Ekaterinburg, 620002. Russia. Россия. E-mail: morzherin@mail.ru

*Supervising author; †Corresponding author

Key words: *N*-(1-adamantyl)-1-pentyl-1*H*-indazole-3-carboxamide, *N*-(1-adamantyl)-1-(5-fluoropentyl)-1*H*-indazole-3-carboxamide, chromatomass spectrometry, GC-MS, IR-, NMR-spectroscopy, identification, synthetic cannabinoids, cannabimimetics.

Abstract

New-type synthetic cannabinoids, *N*-(1-adamantyl)-1-pentyl-1*H*-indazole-3-carboxamide, *N*-(1-adamantyl)-1-(5-fluoropentyl)-1*H*-indazole-3-carboxamide, have been identified by the method of gas chromatography-mass spectrometry (GC-MS), IR spectroscopy and nuclear magnetic resonance (NMR) analyse. The analytical data are obtained, allowing them to identify as designer drugs.