| Full Paper | Thematic Section: Preparative Chemistry. |
|--|--|
| Registration Code of Publication: 13-35-7-68 | Subsection: Polymer Chemistry. |

Registration Code of Publication: 13-35-7-68

The article is published on the materials of speech at the XX All-Russian Conference

"The structure and dynamics of molecular systems." Yalchik 2013. Publication is available for discussion in the framework of the on-line Internet conference "Butlerov readings".

http://butlerov.com/readings/ Contributed: April 29, 2013.

Solid-state polymerizayion of methylenephthalide

© Mikhail I. Buzin, 1* Galina G. Nikiforova, Alexander A. Korlyukov, 1 Dmitry E. Arhipov, Alexander T. Zdvizhgkov, Galina I. Timofeeva, Sergey N. Salazkin, and Vladimir S. Papkov

¹A.N. Nesmeyanov Organoelement Compounds Institute. RAS. Vavilov St., 28. Moscow, 119991. Russia. Phone: +7 (499) 135-60-50. E-mail: buzin@ineos.ac.ru ²N.D. Zelinskiy Institute of Organic Chemistry. RAS. Leninskiy Prospect, 47. Moscow, 119991. Russia.

Keywords: cardo polymers, solid-state polymerization, X-ray diffraction analysis, differential scanning calorimetry.

Abstract

The crystal unit cell parameters of poly(3-methylenephthalide) at 100 and 298 K are established by Xray diffraction analysis. It is shown that the solid state polymerization of methylenephthalide near its melting point, leading to formation of a high molecular polymethylenephthalide with high yield, is in principal possible.

^{*}Supervising author; *Corresponding author