

Thematic Course: Kinetics and mechanism of acyl transfer reactions. Part 5.

## Dipeptides and amino acids reactivity in sulfamide bond formation processes

© Ludmila B. Kochetova,<sup>1</sup> Natalia V. Kalinina,<sup>2</sup>  
Tatiana P. Kustova,<sup>1\*</sup> and Lev V. Kuritsyn<sup>2</sup>

<sup>1</sup> Department of Organic and Physical Chemistry. Ivanovo State University.

Ermak St., 39. Ivanovo, 153025. Russia. Phone: +7 (84932) 37-37-03. E-mail: [kustova\\_t@mail.ru](mailto:kustova_t@mail.ru)

<sup>2</sup> Department of Inorganic and Analytical Chemistry. Ivanovo State University.

Ermak St., 39. Ivanovo, 153025. Russia. Phone: +7 (84932) 37-37-03.

\*Supervising author; <sup>+</sup>Corresponding author

**Keywords:** kinetics, arensulfonylation, aliphatic amino acids, dipeptides, water – 1,4-dioxane, amino groups basicity.

### Abstract

The kinetics of reactions of  $\alpha$ - and  $\beta$ -alanine, dipeptides on their basis, glycyl-glycine, *L*-proline and *L*-asparagine with chlorides of benzenesulfonic, 3-nitro benzenesulfonic and 4-methyl benzenesulfonic acids is studied in the solvent water-1,4-dioxane. Correlations are established between amino acids and dipeptides arensulfonylation rate constants and rate constants of their interaction with carbonyl compounds: benzoyl chloride and picryl benzoate, pointing out the amino acids and dipeptides amino groups basicity as the main factor which determine their nucleophilic reactivity.