

## Analysis and comparative characteristics of the sorption isotherms of various cellulose

© Tatiana Yu. Grunina, Leonid Yu. Grunin,<sup>3\*+</sup> Nadezhda N. Sheveleva, and Daria S. Masas

<sup>1</sup> Department of Biophysics. Faculty of Biology. Moscow State University  
named after M.V. Lomonosov. Leninskie Gory. Moscow, 119899. Russia.

<sup>2</sup> Laboratory of Magnetic Resonance Methods of Analysis. Mari State University. Lenin Square, 1.  
Yoshkar-Ola, 424000. Republic of Mari El. Russia.

<sup>3</sup> Department of Physics. Volga State University of Technology.  
Lenin Square, 3. Yoshkar-Ola, 424000. Republic of Mari El. Russia.  
Phone: +7 (8362) 68-68-64. E-mail: GruninYB@volgatech.net

\*Supervising author; +Corresponding author

**Keywords:** cellulose, microfibrillar, nuclear magnetic resonance, adsorption, equilibrium constant, specific surface area, the capacitance of the monolayer.

### Abstract

In this paper presented the analysis of hydrophilic properties of cotton and wood pulp, performed by the NMR relaxation and sorption measurements. The characteristic given for the processes occurring at different stages of hydration of the cellulose. The role of elementary fibrils defined in the dispersion processes of microfibrils at the initial stage of adsorption. The calculation is made for thermodynamic parameters of the system cellulose-water, reflecting the reasons for the differences of sorption properties of the investigated types of cellulose.