Reference Object Identifier – ROI: jbc-02/16-45-3-105 Subsection: Physico-Chemical Biology. Publication is available for discussion in the framework of the on-line Internet conference "Butlerov readings". http://butlerov.com/readings/

Submitted on May 23, 2016.

Investigation of aqueous-alcoholic deaerated extracts of the coumarincontaining herbs

© Elena S. Kurakina, Phyo Myint Oo, and Irina G. Antropova^{*+}

Cafedra Chemistry of High Energy and Radioecology. Russian Chemical Technological University of Russia Named D.I. Mendeleev. Geroev Panfilovsev St., 20. Moscow, 125480. Russia. Phone: +7 (495) 948-54-64. E-mail: antropovai@inbox.ru

*Supervising author; ⁺Corresponding author

Keywords: herbs, Melilotus officinalis, Ledi palustis cormus, Murraya paniculata, γ -radiolysis, ethanol, radiochemical yield, ethyl aldehyde.

Abstract

In work are investigated aqueous-alcoholic (70% volume ethanol) extracts of herbs: herbs of the Melilotus officinalis, escapes of a Ledi palustis cormus and leaves of a murraya paniculata (Murraya paniculata). The method of a gas chromatography has measured concentration of ethyl aldehyde in deaerated extracts after influence of ionizing radiation, radiochemical yield of ethyl aldehyde are calculated.

References

- [1] Aoife Lacy and Richard O'Kennedy. Studies on Coumarins and Coumarin-Related Compounds to Determine their Therapeutic Role in the Treatment of Cancer. Current Pharmaceutical Design. 2004. Vol.10. P.3797-3811.
- [2] I.G. Antropova, A.A. Fenin, E.N. Semenistaya, O.G. Larionov, A.A. Revina, E.A. Parfenov. Influence of ions of metals on coumarins radiochemical transformations in solutions. Chemistry of High Energy. 2008. Vol.42. No.6. P.559-560. (russian)
- [3] M. Patel Rajesh and J. Patel Natvar. In vitro antioxidant activity of coumarin compounds by DPPH, Super oxide and nitric oxide free radical scavenging methods. Journal of Advanced Pharmacy Education & Research. 2011. Vol.1. P.52-68.
- [4] Kai Wang, Ye Zhang, S.I.N. Ekinwe, Xianghui Yi, Xianxian Liu, Hengshan Wang, Yingming Pan. Antioxidant activity and inhibition effect on the growth of human colon carcinoma (HT-29) cells of esculetin from Cortex Fraxini. Med. Chem. Res. 2010. doi 10.1007/s0044-010-9426-y.
- [5] A.A. Efremov, I.D. Zykova, M.M. Tselukovskaya. Component composition biologically the active agents of Melilotus officinalis (yellow). Chemistry of Plant Materials. 2012. No.3. P.111-114. (russian)
- [6] L.M. Fedoseyeva, T.A. Harlampovich. Development of a technique of the quantitative determination of the amount of coumarins in a grass of Melilotus officinalis. Chemistry of Plant Materials. 2012. No.3. P.135-141. (russian)
- [7] E.V. Basova. Chemical and pharmacological study of Ledi palustis cormus: Dis. cand.of pharm. sciences: 15.00.02. Sib. Gov. University of Med. 2004. 113p. (russian)
- [8] V. Ganesan, C. Arunkumar, P. Nima, A. Astalakshmi. Green synthesis of silver nanoparticles using leaves of murraya paniculata (L.) Jack. International Journal of Recent Scientific Research. 2013. Vol.4. Iss.6. P.1022-1026.
- [9] A.K. Pikaev. The modern radiation chemistry. Radiolysis of gases and liquids. *Nauka Publishing House*, Moscow. 1986. 440p.
- [10] S.D. Brinkevich, O.I. Shadyro. The effects of ascorbic acid on homolytic processes involving ahydroxyl-containing carbon-centered radicals. Bioorganic & Medicinal Chemistry Letters. 2008. Vol.18. P.6448-6450.