Reference Object Identifier – ROI: jbc-01/17-49-3-12 *The Digital Object Identifier* – DOI: 10.37952/ROI-jbc-01/17-49-3-12 Submitted on Marth 11, 2017.

Structure, stability, toxicity and anti-inflammatory activity of a complex of 5-hydroxy-6-methyluracil with 5-aminosalicylic acid

© Yury S. Zimin,^{1*+} Natalia S. Borisova,¹ Alfia R. Gimadieva,² and Akhat G. Mustafin^{1,2}

 Department of Physical Chemistry and Chemical Ecology. Bashkir State University. Zaki Validi St., 32. Ufa, 450074. Republic of Bashkortostan. Russia. Phone: +7 (347) 229-96-94. E-mail: ZiminYuS@mail.ru
² Laboratory of Pharmacophore Cyclic Systems. Ufa Institute of Chemistry of RAS. Oktyabrya Pr., 71. Ufa, 450054. Republic of Bashkortostan. Russia.

*Supervising author; ⁺Corresponding author

Keywords: 5-hydroxy-6-methyluracil, 5-aminosalicylic acid, complex formation, stability constant, thermodynamic parameters, anti-inflammatory activity.

Abstract

UV spectroscopy was used to study complex formation of 5-hydroxy-6-methyluracil (5-OH-6-MU) with 5-aminosalicylic acid (5-ASA) in an ageous medium. Two spectral methods (the method of isomolar series and the method of molar ratios) proved that aqueous solutions see 5-OH-6-MU and 5-ASA forming a complex compound of 1:1, i.e it takes one uracil molecule per one molecule of the acid under study. The method of molar ratios in the temperature range of 20-44 °C calculated the equilibrium constants of complexing reactions of 5-OH-6-MU...5-ASA (complex compound stability constant – K). The analysis of the results showed that 5-hydroxy-6-methyluracil forms a sufficiently strong complex with 5-aminosalicylic acid: K values in the temperature range under study vary within $(2-9)\cdot 10^4$ l/mole. It was found that with increasing temperature the value of the stability constant of a complex compound is reduced. The study of the temperature dependence of K allowed to define standard values of thermodynamic parameters (change in Gibbs free energy $-\Delta G^{\circ}$, enthalpy $-\Delta H^{\circ}$ and entropy $-\Delta S^{\circ}$) of complexing. The negative values of ΔG° , ΔH° and ΔS° indicate, respectively, spontaneous complexing formation of 5-OH-6-MU--5-ASA, its exothermic properties and certain restrictions on vibrational and rotational motions of molecules, resulting from the formation of the complex compound. The obtained data about the composition, equilibrium and the thermal stability of the investigated complex 5-OH-6-MU-5-ASA were employed to develop the methods of its synthesis, to design the prototype of the compound and to examine its anti-inflammatory activity and toxicity. Pharmacological studies (on the model of carrageenan inflammation) found that a complex compound formed by 5-hydroxy-6-methyluracil and 5-aminosalicylic acid demonstrates a higher antiinflammatory activity compared to the starting materials (5-OH-6-MU, 5-ASA). The study of the acute toxicity of the complex of 5-OH-6-MU...5-ASA showed that it may be related to hazard category 4 (lowhazardous substances), while one of the starting materials – 5-aminosalicylic acid – belongs, according to GOST 12.1.007 – 76 to hazard category 3 (moderately hazardous substances).

References

- [1] G.A. Tolstikov, V.A. Myshkin, L.A. Baltina, Yu.I. Murinov, D.V. Srubilin, A.F. Vakaritsa, E.K. Alekhin. Antidotal and antiradical activity of complexes of β-glycyrrhizic acid with pyrimidine derivatives. *Pharmaceutical Chemistry Journal.* **1996**. Vol.30. No.5. P.320-322. DOI: 10.1007/BF02333971
- [2] L.A. Baltina, Yu.I. Murinov, A.F. Ismagilova, V.A. Davydova, F.S. Zarudii, G.A. Tolstikov. Synthesis and antitumor activity of complex compounds of β-glycyrrhizic acid with antitumor drugs. *Pharmaceutical Chemistry Journal.* 2001. Vol.35. No.11. P.585-587. DOI: 10.1023/A:1015192324213
- [3] Complex compound of 6-methyluracil and succinic acid exhibiting antihypoxic activity and its production method: Patent 2259357 Russia. V.P. Krivonogov, V.A. Myshkin, R.B. Ibatullina, Yu.N. Chernyshenko, G.G. Kozlova, A.I. Savlukov, I.B. Abdrakhmanov, I.L. Gulyaeva, I.V. Myshkin, S.A. Sergeeva; patent holders IOC USC RAS, USRI MWHE Ministery of Health of Russia. No.2003122994/04; declared 21.07.2003; published 27.08.2005, Bulletin No.24. 6p. (russian)

- [4] D.A. Chuvashov, Yu.N. Chernyshenko, A.G. Mustafin, R.F. Talipov. Study of the structure of the complexes of 5-hydroxy-6-methyluracil with succinic acid by the methods of quantum chemistry. Bashkir Chemical Journal. 2007. Vol.14. No.1. P.119-123. (russian)
- [5] Complex compound of 1,3-bis(2-hydroxyethyl)-5-hydroxy-6-methyluracil with fumaric acid exhibiting antihypoxic activity and its production method: Patent 2330025 Russia. V.P. Krivonogov, V.A. Myshkin, R.B. Ibatullina, I.B. Abdrakhmanov, A.G. Mustafin, A.B. Bakirov, A.R. Gimadieva, Yu.N. Chernyshenko, A.I. Savlukov, D.V. Srubilin; patent holders IOC USC RAS, USRI MWHE RCC. No. 2006115883/04; declared 10.05.2006; published 27.07.2008, Bulletin No.21. 7p. (russian)
- [6] V.A. Myshkin, D.A. Enikeev, M.A. Isakova, L.T. Idrisova. Hepatoprotective activity of a complex compound of 5-hydroxy-6-methyluracil and succinic acid in experimental peritonitis. General Reanimatology. 2008. Vol.4. No.5. P.26-30. (russian)
- [7] Yu.N. Chernyshenko. Synthesis of new derivatives of 6-methyluracil possessing pharmacological activity: PhD Physis. Ufa: IOC USC RAS. 2008. 149p.
- [8] G.R. Timerbaeva, Yu.S. Zimin, I.M. Borisov, A.G. Mustafin, Yu.B. Monakov. Study of complexing of galacturonic acid with uracil and its derivatives. Bulletin of Bashkir State University. 2009. Vol.14. No.1. P.62-64. (russian)
- [9] G.R. Timerbaeva. Oxidative transformations of pectins and their complexes formation with some nitrogencontaining drugs: PhD Physis. Ufa: BSU. 2009. 145p.
- [10] V.A. Myshkin, D.V. Srubilin, D.A. Enikeev. Antioxidant properties of pyrimidine derivatives and their molecular complexes with biologically active substances in a variety of oxidative systems. Medical Bulletin of Bashkortostan. 2009. Vol.4. No.2. P.151-154. (russian)
- [11] D.V. Srubilin, Enikeev D.A., Myshkin V.A. Antiradical and antioxidant activity of the complex compound of 5-oxy-6-methyluracil with cuccinic acid and its efficacy under hypoxic conditions. Fundamental research. 2011. No.6. P.166-170. (russian)
- [12] N.S. Borisova, G.I. Ishmuratova, O.I. Valieva, I.M. Borisov, Yu.S. Zimin, A.G. Mustafin. Study of complexing of succinic and fumaric acids with uracil and its derivatives. Bulletin of Bashkir State University. 2012. Vol.17. No.4. P.1687-1690. (russian)
- [13] A.R. Gimadieva, Yu.N. Chernyshenko, I.B. Abdrakhmanov, A.G. Mustafin. Synthesis, modifications and biological activity of uracils. Ufa: Gilem. 2013. P.143-161. (russian)
- [14] A.R. Gimadieva, V.A. Myshkin, A.G. Mustafin, Yu.N. Chernyschenko, N.S. Borisova, Yu.S. Zimin, I.B. Abdrakhmanov. Preparation and antihypoxic activity of complexes of uracil derivatives with dicarboxylic acids. Pharmaceutical Chemistry Journal. 2014. Vol.48. No.2. P.93-96. DOI: 10.1007/s11094-014-1055-1
- [15] A.O. Terent'ev, N.S. Borisova, E.M. Khamitov, Yu.S. Zimin, A.G. Mustafin. Experimental and quantum-chemical studies of the reactions of 6-methyluracil with succinic and fumaric acids. Russian Journal of Physical Chemistry A. 2014. Vol.88. No.12. P.2068-2072. DOI: 10.1134/S003602441412036X
- [16] The drug having anti-toxic activity, and containing a complex compound of methyluracil derivative with an organic acid, and method for its production: Patent 2533423 Russia. A.Ya. Gerchikov, I.V. Safarova, I.B. Abdrakhmanov, V.A. Myshkin, R.B. Ibatullina, A.I. Savlukov, Yu.S. Zimin, N.S. Borisova; patent holder Bashkir State University. No. 2013122374/04; declared 14.05.2013; published 20.11.2014, Bulletin No.32. 7p. (russian)
- [17] Complex compound of methyluracil derivative with an organic acid, and method for its production: Patent 2543375 Russia. N.S. Borisova, Yu.S. Zimin, A.R. Gimadieva, A.G. Mustafin, S.L. Larionov, I.V. Safarova; patent holder Bashkir State University. No.2013135609/04; declared 29.07.2013; published 27.02.2015, Bulletin No.6. 6p. (russian)
- [18] N.S. Borisova. Physico-chemical regularities of interaction between aminosalicylic acid and uracils with polyfunctional acids: PhD Physis. Ufa: BSU. 2015. 157p.
- [19] Yu.S. Zimin, N.S. Borisova, G.R. Timerbaeva, A.R. Gimadieva, A.G. Mustafin. Preparation, toxicity, and anti-inflammatory activity of complexes of uracil derivatives with polyfunctional acids. Pharmaceutical Chemistry Journal. 2017. Vol.50. No.10. P.649-653. DOI: 10.1007/s11094-017-1507-5
- [20] L.A. Badykova. Interaction of arabinogalactan of Siberian larch with 5-aminosalicylic acid, 4aminosalicylic acid and isonicotinic acid hydrazide: Ufa: IOC USC RAS. 2007. 130p.
- [21] N.S. Borisova, I.P. Koroleva, Yu.S. Zimin, A.R. Gimadieva, A.G. Mustafin. Spectrophotometric study of uracils interaction with apple pectin and its oxidation products. Izv. Vuzov. Chemistry and Chemical Technology. 2013. Vol.56. No.3. P.46-50. (russian)

Full Paper Yu.S. Zimin, N.S. Borisova, A.R. Gimadieva, and A.G. Mustafin [22] N.S. Borisova, G.R. Timerbaeva, Yu.S. Zimin, A.G. Mustafin. Interaction of pectins with 4- and 5aminosalicylic acids. Butlerov Communications. 2013. Vol. 34. No.4. P.59-64. ROI: jbc-02/13-34-4-59

- [23] N.S. Borisova, G.G. Kutlugildina, Yu.S. Zimin, A.R. Gimadieva, A.G. Mustafin. Oxidizing destruction of arabinogalactan and its complex formation with uracils. Izv. Vuzov. Chemistry and Chemical Technology. 2014. Vol.57. No.9. P.62-66. (russian)
- [24] Yu.S. Zimin, N.S. Borisova, G.R. Timerbaeva, A.R. Gimadieva, A.G. Mustafin. Natural pectins: oxidative destruction and interaction with uracils. Butlerov Communications. 2015. Vol.42. No.4. P.16-24. DOI: 10.37952/ROI-jbc-01/15-42-4-16
- [25] Complex compound of 6-methyluracil with carboxy-containing organic compound, and method for its production: Patent 2563258 Russia. N.S. Borisova, Yu.S. Zimin, A.R. Gimadieva, A.G. Mustafin; patent holder Bashkir State University. No. 2014115388/04; declared 16.04.2014; published 20.09.2015, Bulletin No.26. 6p. (russian)
- [26] D.N. Lazareva, E.K. Alekhin, V.V. Plechev, V.M. Timerbulatov, D.V. Plecheva. Immureg. Ufa: Bashkir State Medical University. 2004. 104p.
- [27] M.D. Mashkovskii. Drugs. Vol.1. Moscow: Novaya Volna Ltd. 2002. 540p. (russian)
- [28] M.I. Bulatov, I.P. Kalinkin. Practical guidance by photometric methods of the analysis. *Leningrad*: Khimiya. 1986. 432p.
- [29] M. Beck, I. Nadpal. Complexing studies via latest techniques. *Moscow: Mir.* **1989**, 413p. (russian)
- [30] O.M. Poltorak. Thermodynamics in physical chemistry. *Moscow: Vysshaya Shkola*. 1991. 320p. (russian)
- [31] GOST 12.1.007-76. Occupational safety standards system. Noxious substances. Classification and general safety requirements. Moscow: Standartinform. 1976. 6p. (russian)
- [32] F. Sztaricskai, I.E. Takács, F. Pusztai, G. Szabó, Ι. Csípõ. Antiulcer effect of the N- and O-β-Dglucopyranosides of 5-aminosalicylic acid. Archiv der Pharmazie. 1999. Vol.332. No.9. P.321-326.