

Oxidation of fatty acids by hydrogen peroxide in an aqueous medium under supercritical fluid conditions

© Almaz U. Aetov,¹⁺ Farid M. Gumerov,^{1*} Alexander I. Kourdioukov,² Rustem A. Usmanov,¹
Ilgiz R. Gabitov,¹ Sergey V. Mazanov,¹ and Zufar I. Zaripov¹

¹Department of Theoretical Foundations of Heat Engineering; ²Center of New Information Technologies.
Federal State Budget Educational Institution of Higher Education "Kazan National Research Technological
University". K. Marx St., 68. Kazan, 420015. Republic of Tatarstan. Russia.

Phone: +7 (843) 231-42-39. E-mail: aetovalmaz@mail.ru

*Supervising author; ⁺Corresponding author

Keywords: acetic acid, oleic acid, hydrogen peroxide, water, supercritical fluid condition, oxidation.

Abstract

The advantage of supercritical aqueous oxidation (SCWO) of organic waste by solutions of hydrogen peroxide before thermal neutralization is demonstrated. Principal schemes of SCWO devices of periodic action with the use of a liquid oxidizer and continuous (continuous) operation are given, with the perspective possibility of using oxygen as an oxidizer, which is more profitable in the future. For the analysis of reaction products, one of the main qualitative indicators of the degree of sewage contamination is selected: chemical oxygen demand (COD), and also as an additional indicator, the activity control of pH of hydrogen ions. The essence of the method for measuring the chemical consumption of oxygen using potassium dichromate at a given temperature in the presence of silver sulfate and mercury sulfate is described. The results of investigations of the oxidation of 10% aqueous solution of acetic acid and oleic acid with 30% hydrogen peroxide at a temperature of 673-748 K, a pressure of 25-30 MPa and a process duration of up to 30 minutes, realized in an aqueous medium in supercritical fluid conditions at a periodic actions. Also, studies of the oxidation of a 10% aqueous solution of acetic acid with 30% hydrogen peroxide at a temperature of 673-748 K and a pressure of 25 MPa, realized in an aqueous medium in supercritical fluid conditions in a continuous installation, are also described. The dependences of the efficiency and COD values of the reaction products of supercritical aqueous oxidation of acids on the duration of the process are revealed. The dependence of the pH of acetic acid subjected to oxidation on a continuous-action plant on the duration of the oxidation process is given. The most effective parameters for carrying out the oxidation reaction in supercritical conditions of acids at the plants of periodic and continuous action are revealed.

References

- [1] V. Bambang, K. Jae-Duck. Supercritical water oxidation for the destruction of toxic organic wastewaters: A review. *Journal of Environmental Sciences*. **2007**. No.19. P.513-522.
- [2] R. Gazizov, D. Amirkhanov, F. Gumerov, R. Usmanov, F. Gabitov et al. Workshop on the fundamentals of supercritical technologies. *OOO "Innovative Publishing House" Butlerov Heritage", Kazan*. **2010**. P.3-4. (russian)
- [3] F. Cansell, S. Rey, P. Beslin. Thermodynamic aspect of supercritical fluids processing: applications to polymers and wastes treatment. *Revue de L'Institut Francais du Pétrole*. **1998**. No.1. 53p
- [4] R. Usmanov, F. Shamsetdinov, R. Gabitov, Sh. Biktashev, F. Gumerov. Pilot unit for permanent transesterification of vegetable oils in supercritical methanol or ethanol media. **2011**. T.2. P.45-61. (russian)
- [5] F.M. Gumerov, Hung Truong Nam, F.N. Shamsetdinov, Z.I. Zaripov, F.R. Gabitov, B. Le Neindre. Utilization Efficiency Improvement of Tea Leaves' Biological Potential as a Result of SC-CO₂ Pretreatment Monograph: Caffeine: Consumption, Side Effects and Impact on Performance and Mood. *Nova Science Publishers, NY*. **2014**. Vol.1. P.34-61.
- [6] V. Anikeev, A. Ermakova. Technology of complete oxidation of organic compounds in supercritical water. *Journal of Applied Chemistry*. **2011**. Vol.84. No.1. P.88-94. (russian)
- [7] A. Vostrikov, O. Fedyaeva, I. Fadeeva, M. Sokol. Formation of Al₂O₃ nanoparticles during aluminum oxidation with water at sub- and supercritical parameters. *Supercritical Fluids: Theory and Practice*. **2010**. Vol.5. P.12-24. (russian)

- Full Paper** A.U. Aetov, F.M. Gumerov, A.I. Kourdioukov, R.A. Usmanov, I.R. Gabitov, S.V. Mazanov, Z.I. Zaripov
- [8] F. Gumerov, R. Kayumov, R. Usmanov, A. Sagdeev, I. Abdullin, et al. Waste Management in Propylene Epoxidation Process with the Use of Supercritical Fluid Media. *American Journal of Analytical Chemistry*. **2012**. Vol.3. P.950-957.
- [9] J. Abeln, M. Kluth, G. Petrich, H. Schmieder. Supercritical water oxidation: a process for the treatment of industrial waste effluents. *High Pressure Research: An International Journal*. **2001**. Vol.20. P.1-6.
- [10] R. Gabitov, R. Usmanov, F. Gumerov, F. Gabitov. Investigation of the stability of the rapeseed oil emulsion and ethyl alcohol obtained by the ultrasonic dispersion method. *Bulletin of Kazan Technological University*. **2012**. Vol.15. P.129-132. (russian)
- [11] F. Gumerov, R. Usmanov, A. Aetov, I. Gabitov, S. Mazanov, R. Gabitov. Oxidation of fatty acids by hydrogen peroxide in aqueous medium under supercritical fluid conditions. *Mass Spectrom Purif Tech*. **2017**. Vol.3. P.3.
- [12] E.Sh. Gayazova. Oxidative methods in the purification of sewage from hard-oxidizable organic compounds: *the Dissertation of the candidate of science: 03.02.08, Kazan*. **2013**. 120p. (russian)
- [13] E. Gayazova, R. Usmanov, F. Gumerov, S. Friedland, Z. Zaripov. The combination of coagulation-flocculation method and the SCWO in the waste water treatment. *International Journal of Analytical Mass Spectrometry and Chromatograph*. **2013**. No.1. P.48-54.
- [14] A.A. Galkin, V.V. Lunin. Water in sub-critical states is a universal medium for the realization of chemical reactions. *Successes in chemistry*. **2015**. Vol.74. No.1. P.24-40. (russian)
- [15] A.I. Kourdioukov, A.R. Gabitova, F.M. Gumerov, E.N. Ofitserov, and D.L. Egorov. Quantum-chemical study of the transformation of triglycerides. Part 4. Elementary acts of supercritical water oxidation (SCWO) model analogs fatty acid triglycerides in supercritical fluid media. *Butlerov Communications*. **2015**. Vol.44. No.10. P.153-160. ROI: jbc-02/15-44-10-153
- [16] A.I. Kourdioukov, A.R. Gabitova, F.M. Gumerov, E.N. Ofitserov, and A.F. Mingaliev. Quantum-chemical study of the transformations of triglycerides. Part 1. Elementary acts of noncatalytic transesterification reaction of triglycerides and their analogs under the conditions of supercritical fluids. *Butlerov Communications*. **2014**. Vol.39. No.9. P.1-18. ROI: jbc-02/14-39-9-1
- [17] A.I. Kourdioukov, A.R. Gabitova, F.M. Gumerov, E.N. Ofitserov, and A.F. Mingaliev. Quantum-chemical study of the transformation of triglycerides. Part 2. Elementary acts of the hydrolysis reaction of triglycerides and catalytic role of intermediately authentic aliphatic carboxylic acids in the formation of their methyl esters in the physical conditions of supercritical fluids. *Butlerov Communications*. **2014**. Vol.39. No.9. P.19-26. ROI: jbc-02/14-39-9-19
- [18] A.I. Kourdioukov, A.R. Gabitova, F.M. Gumerov, and E.N. Ofitserov. Quantum-chemical study of the transformation of triglycerides. Part 5. A recessed analysis of the quantum-chemical thermochemistry of the alcoholysis and hydrolysis of fatty acid triglycerides, carried out under supercritical conditions in the presence of and in the absence of authentic carboxylic acids and their analogues. *Butlerov Communications*. **2016**. Vol.46. No.5. P.104-129. ROI: jbc-02/16-46-5-104
- [19] F.M. Gumerov and etc. Биодизельное топливо. Biodiesel fuel. Transesterification in supercritical fluid conditions. Monograph. *Kazan: Publishing House LLC "Innovation and Publishing House" Butlerov Heritage "*. **2017**. 360p. (russian)
- [20] R. Usmanov, R. Gabitov, L. Miftakhova, F. Gumerov. Modernization of the experimental setup realizing the flow regime for the SCWO process. *Bulletin of Kazan Technological University*. **2013**. Vol.17. P.244-247. (russian)
- [21] A. Aetov, R. Usmanov, R. Gabitov, S. Mazanov, M. Kurbangelev. Experimental setup for the investigation of supercritical water oxidation in continuous mode and the principles of its operation. *Bulletin of Kazan Technological University*. **2016**. Vol.19. P.37-39. (russian)
- [22] A. Aetov, R. Usmanov, R. Gabitov, S. Mazanov. Experimental study of the process of supercritical water oxidation in batch and flow modes. *XIX All-Russian Conference of Young Scientists-Chemists. Abstracts. Kazan*. **2016**. P.249-250. (russian)
- [23] M. Gonikberg. Chemical equilibrium and reaction rate at high pressures. *Publishing house "Chemistry". Moscow*. **1969**. 430p. (russian)
- [24] O. Fedyeva, A. Vostrikov. Utilization of toxic organic substances in supercritical water. *Supercritical Fluids: Theory and Practice*. **2012**. Vol.5. P.15-27. (russian)
- [25] F. Gumerov, A. Sabirzyanov, G. Gumerova, F. Gabitov, S. Usmanov, etc. Prospects of using sub- and supercritical extractants for extraction of metals from bitumen and high-viscosity oils. *Chemistry and Computational Simulation. Butlerov messages*. **2004**. Vol.5. P.9-15. (russian)
- [26] R. Gabitov, R. Usmanov, F. Gumerov, F. Gabitov. Investigation of the stability of the rapeseed oil emulsion and ethyl alcohol obtained by the ultrasonic dispersion method. *Bulletin of Kazan Technological University*. **2012**. Vol.15. P.129-132. (russian)

- [27] Yu. Yu. Lurye. Handbook of Analytical Chemistry. Moscow: Chemistry Publishing House. 1971. 363p. (russian)
- [28] R. Gabitov, V. Zakharchuk, V. Pavlov, R. Usmanov. Realization of the SCWO process on the experimental installation of the flow type. *Bulletin of Kazan University of Technology*. 2012. Vol.15. P.119-121. (russian)