

Thematic course: Chemical bath synthesis of metal chalcogenide films. Part 34.

Dopant influence on functional properties of chemical bath deposited PbS films

© Larisa N. Maskaeva,^{1,2+} Natalia A. Forostyanaya,¹ Vyacheslav F. Markov,^{1,2*}
Anna S. Eremina,¹ and Konstantin A. Karpov¹

¹ Physical and Colloidal Chemistry Department. Ural Federal University Named After the First
President of Russia B.N. Yeltsin. Mira St., 19. Yekaterinburg, 620002. Sverdlovsk Region. Russia
Phone: +7 (343) 375-93-18. E-mail: mln@ural.ru

² Chemistry and Combustion Process Department, Ural State Fire Service Institute of Emergency Ministry
of Russia. Mira St., 22. Yekaterinburg, 620022. Sverdlovsk Region. Russia. Phone: +7 (343) 360-81-68.

*Supervising author; +Corresponding author

Keywords: thin films, chemical deposition, lead sulfide, deposition kinetic, doping semiconductors, photosensitivity properties.

Abstract

Lead sulfide thin films are widely used in optoelectronics, being one of the most photosensitive materials in visible and near IR–spectral range (0.4-0.3 μm). One of the perspective ways of their synthesis is chemical deposition from aqueous solutions. Wherein doping additives are used for sensitization of deposited films. Influence of dopants (magnesium, calcium, copper(II) cadmium, gallium, iron(II) salts), which were added to the reaction mixture, on morphology, elemental composition and photoelectrical characteristics of chemical deposited PbS films is considered in article. According to the results of differential thermodynamic calculation of effective metal sulfides-dopants and lead sulfide solubility products, made an assumption about induction period enlargement due to addition to reactor with depositing PbS films magnesium, calcium and iron(II) salts. In turn, addition of copper(II), cadmium, and gallium salts increasing process speed of the emergence of solid PbS phase through heterogeneous mechanism due to relatively low solubility product values of their sulfides. 200-300 nm and having good adhesion to siall substrate polycrystalline lead sulfide films were obtained by chemical bath deposition. Films are formed by particles with characteristic size from 20 to 60 nm. Kinetic research of transformation lead salt into sulfide in ammonium citrate system containing doping additive of calcium chloride showed its inhibition of PbS solid phase formation process. This process accompanied by induction period enlargement. PbS films were deposited in reaction mixture with concentration of magnesium, calcium, copper(II), cadmium, gallium, iron salts equal up to 10^{-3} mol/L. Measuring photoelectric characteristics of this films showed marked sensitizing effect of magnesium, calcium, gallium doping additives to visible IR-spectral range. This dopants increase volt-watt film sensitivity by 3-4 times.

References

- [1] A.M. Gas'kov, A.A. Goldenveizer, I.A. Sokolov, V.P. Zlomanov, A.V. Novoselova. Auger-electronic microanalysis of oxidized polycrystalline layer of lead sulfide. *Reports of the USSR Academy of Sciences*. **1983**. Vol.269. No.3. P.607-609. (russian)
- [2] V.I. Petrov, V.A. Prokhorov. Compound, structure and photoelectric properties research of PbS thin films elements. *Proceedings of the Academy of Sciences of the USSR. Physical ser.* **1984**. Vol.48. No.2. P.263-265. (russian)
- [3] G.A. Kitaev, L.G. Protasova, V.G. Kosenko, V.F. Markov. Oxidizing of chemical deposited lead sulfide. *Proceedings of the Russian Academy of Sciences. Inorganic materials*. **1993**. Vol.29. No.7. P.1017-1018. (russian)
- [4] S. Espevik, C. Wu. Mechanism of photoconductivity in chemically deposited lead sulfide layers. *J. Appl. Phys.* **1971**. Vol.42. No.9. P.3513-3529.
- [5] G.H. Blount, P.J. Schreiber, D.K. Smith, R.T. Yamada. Variation of the properties of chemically deposited lead sulfide film with the use of an oxidant. *J. Appl. Phys.* **1973**. Vol.44. No.3. P.978-981.
- [6] G.P. Kothiyal, B. Ghosh, R.V. Deshpande. Effect of morphological structure on photosensitivity of chemically deposited PbS thin films. *Thin Solid Films*. **1979**. Vol.58. No.1. P.36.

- Full Paper** _____ L.N. Maskaeva, N.A. Forostyanaya, V.F. Markov, A.S. Eremina, and K.A. Karpov
- [7] V.M. Simic, Z.B. Marinkovich. Influence of impurities on photosensitivity of chemically deposited lead sulfide layers. *J. Infrared Phys.* **1968**. Vol.8. No.8. P.189-195.
- [8] Z.B. Marinkovich, V.M. Simic. Influence of conditions of PbS layers preparation on their short wavelength limit of transmission and grain size. *J. Infrared Phys.* **1970**. Vol.10. No.4. P.187-190.
- [9] V.F. Markov, L.N. Maskaeva, G.A. Kitaev. Kinetic of chemical PbS deposition in presence of ammonia halogenides, microstructure and electrophysical properties. *J. Appl. Chem.* **2000**. Vol.73. P.1256-1259. (russian)
- [10] V.F. Markov, A.V. Schnaider, M.P. Mironov, V.F. Diakov, L.N. Maskaeva. Obtaining highly sensitive to IR-radiation PbS films, deposited from halogen-containing mixtures. *Perspective Materials.* **2008**. No.3. P.28-32. (russian)
- [11] V.F. Markov, L.N. Maskaeva, and T.A. Alekseeva. Hydrochemical synthesis of metal chalcogenide films. Part 25. Hydrochemical deposition features of metal sulfide and selenide films. *Butlerov Communications.* **2015**. Vol.41. No.1. P.8-21. DOI: 10.37952/ROI-jbc-01/15-41-1-8
- [12] R. Das, Kuma Rajesh. Preparation of nanocrystalline PbS thin films and effect of Sn doping and annealing on their structural and optical properties. *Materials Research Bulletin.* **2012**. Vol.47. Iss.2. P.239-246.
- [13] Portillo M. Chavez, Mathew X., Santiesteban Juarez H., Pacio Castillo M., Cortes Santiago A., Portillo Moreno O. Influence of Li⁺ doping on the optical properties of PbS. *Superlattices and Microstructures.* **2017**. Vol.109. P.423-430.
- [14] Gassoumi Abdelaziz, Alleg Safia, Kamoun Najoua. Influencing the structural, microstructural and optical properties of PbS nanocrystalline thin films by Mg²⁺ doping. *J. of Molecular Structure.* **2016**. Vol.1116. P.67-71.
- [15] C. Rajeshree, A.R. Balu. Tuning the physical properties of PbS thin films toward optoelectronic applications though Ni doping. *Optik.* **2016**. Vol.127. Iss.20. P.8892-8898.
- [16] R. Kumar, R. Das, M. Gupta, V. Ganesan. Preparation of nanocrystalline Sb doped PbS thin films and their structural, optical and electrical characterization. *Superlattices and Microstructures.* **2014**. Vol.75. P.601-612.
- [17] B. Touati, A.S. Gassoumi, N.K. Alfaify. Optical, morphological and electrical studies of Zn: PbS thin films. *Materials Science in Semiconductor Processing.* **2015**. Vol.34. P.82-87.
- [18] J. Bang, H. Yang, P. Holloway. Enhanced and stable green emission of ZnO nanoparticles by surface segregation of Mg. *Nanotechnology.* **2006**. Vol.17. No.4. P.973-978.
- [19] E. Pentia, I. Pintilie, T. Matei, E. Botila. Ozbaya Chemically prepared nanocrystalline PbS thin films. *J. of Optoelectronic and Advanced Materials.* **2001**. Vol.3. No.2. P.525-530.
- [20] Portillo Moreno O., Gutierrez Perez R., Chavez Portillo M., Chaltel Lima L., Hernandez Tellez G., Rubio Rosas E. Morphological, structural, optical and electrical properties of PbS nanocrystals doped with Fe²⁺ grown by chemical bath. *Optic.* **2016**. Vol.127. Iss.22. P.10273-10282.
- [21] G. Schwarzenbach, G. Flashka. Complexometric titration. *Moscow: Khimiya.* **1970**. 360p. (russian)
- [22] M.I. Bulatov. Calculation of Equilibria in Analytical Chemistry. *Moscow: Khimiya.* **1984**. 184p. (russian)
- [23] Z.I. Smirnova, L.N. Maskaeva, V.I. Voronin, and V.F. Markov. Hydrochemical synthesis of films of chalcogenide metas. Part 17. Estimation of conditions for the formation of Pb_{1-x}Sn_xSe solid solutions by ion-exchange substitution technique using the analysis of effective solubility products of metal selenides. *Butlerov Communications.* **2013**. Vol.33. No.2. P.99-107. ROI: jbc-02/13-33-2-99
- [24] Y.Y. Lurje. Handbook of Analytical Chemistry. *Moscow: Khimiya.* **1989**. 448p. (russian)
- [25] V.F. Markov, L.N. Maskaeva. Features of nucleation and the mechanism of growth of films of metal sulphides with deposition by thiourea. *Reports of the Academy of Sciences. Chemical series.* **2014**. No.7. P.1523-1532. (russian)