Subsection: Physical Organic Chemistry.

Reference Object Identifier – ROI: jbc-02/17-51-9-45

Publication is available for discussion in the framework of the on-line Internet conference "Butlerov readings". http://butlerov.com/readings/

Submitted on September 7, 2017.

Thematic Course: Kinetics and mechanism of acyl transfer reactions. Part 13.

## Quantum chemical simulation of mechanisms of the reactions of secondary fatty aromatic amines arensulfonation

© Ludmila B. Kochetova, Tatiana P. Kustova,\* Daria E. Troitskaya, and Yulia M. Romanova Department of Organic and Physical Chemistry. Ivanovo State University. Ermak St., 39. Ivanovo, 153025.

Russia. Phone: 1 +7 (4932) 37-37-03, +7 (4932) 37-37-03. E-mail: kustova t@mail.ru

\*Supervising author; \*Corresponding author

*Key words:* quantum chemical simulation, reaction mechanism, arensulfonation, *N*-methylaniline, *N*-ethylaniline, benzensulfonyl chloride.

## **Abstract**

The quantum chemical simulation of mechanisms of the reactions of secondary fatty aromatic amines – *N*-methylaniline and *N*-ethylaniline with benzenesulfonyl chloride in the gaseous phase and also of the reaction of *N*-methylaniline with benzenesulfonyl chloride in the conditions of specific and non-specific solvation of the reagents molecules by water is carried out. Three-dimensional potential energy surfaces of the pointed out processes are computed. An impossibility of realization of the nucleophile backside attack on sulfonic reaction center in the gas-phase reaction of *N*-methylaniline with benzenesulfonyl chloride is shown.

Depending on physical chemical properties of the simulated medium in the considered reactions the route with frontside attack of alkylaniline molecule on the sulfonic reaction center or the route with an axial attack of nucleophile proceeding with decrease of the attack angle as the reagents molecules approach each other can realize or the both pointed out routes are equiprobable. It is established that all the considered reactions occur by the bimolecular concerted mechanism of nucleophilic substitution with the only transition state formation on the any of the probable routes. It is found that geometrical configuration of the transition states is determined by the reactions route: when implementing the frontside attack of nucleophile the transition state with the form of tetragonal pyramid is forming; at occurring of the process by the route with an axial attack of nucleophile the transition state forms with configuration intermediate between trigonalbipyramidal and tetragonal-pyramidal what is connected with the change of the nucleophile attack angle as the reagents molecules approach each other. Activation energies of the studied processes are calculated, in the gaseous phase they significantly exceed the values received experimentally; activation energy of the reaction with participation of N-ethylaniline is significantly higher than that of the reaction with N-methylaniline participation, that is explained by the sterical hindrances increase with the increase of the size of the substituent in the amine group. It is shown that accounting of N-methylaniline molecule solvation by one water molecule influences insignificantly the energy of its reaction with benzenesulfonyl chloride but accounting of non-specific solvation by water increases energetic barrier of the reaction that is probably connected with strengthening of electrostatic repulsion between negatively charged atoms of the functional groups of the reagents molecules in the conditions of non-specific solvation.

## References

- [1] L.B. Kochetova, T.P. Kustova, L.V. Kuritsyn, and O.Y. Dicyna. Kinetics and mechanism of acyl transfer reactions. Part 12. Reactivity of aryl amines in amides formation. *Butlerov Communications*. **2016**. Vol.47. No.9. P.95-105. ROI: jbc-02/16-47-9-95
- [2] L.B. Kochetova, N.V. Kalinina, D.S. Soloviyova, O.Yu. Dicina, L.V. Kuritsyn, and T.P. Kustova. Kinetics and mechanism of acyl transfer reactions. Part 11. *L*-Lysine and *L*-ornitine reactivity in reactions with 4-nitrophenyl acetate and picryl benzoate in aqueous 1,4-dioxane solutions. *Butlerov Communications*. **2016**. Vol.45. No.1. P.145-151. ROI: jbc-02/16-45-1-145
- [3] L.B. Kochetova, N.V. Kalinina, Yu.E. Grabchilova, K.A. Simonova, and T.P. Kustova. Kinetics and mechanism of acyl transfer reactions. Part 10. Reactivity of dipeptides and esters of carboxylic acids at their interaction in aqueous dioxane solutions. *Butlerov Communications*. **2015**. Vol.43. No.7. P.1-11. ROI: jbc-02/15-43-7-1

Kazan. The Republic of Tatarstan. Russia. © B	Butlerov Communications. 2017. Vol.51. No.9. 45
---	---

- [4] I.S. Antipin, M.A. Kazymova, M.A. Kuznetsov, A.V. Vasil'ev, M.A. Ishchenko, A.A. Kiryushkin, L.M. Kuznetsova, S.V. Makarenko, V.A. Ostrovskii, M.L. Petrov, O.V. Solod, Yu.G. Trishin, I.P. Yakovlev, V.G. Nenaidenko, E.K. Beloglazkina, I.P. Beletskaya, Yu.A. Ustynyuk, P.A. Solov'ev, I.V. Ivanov, E.V. Malina, N.V. Sivova, V.V. Negrebetskii, Yu.I. Baukov, N.A. Pozharskaya, V.F. Traven', A.E. Shchekotikhin, A.V. Varlamov, T.N. Borisova, Yu.A. Lesina, E.A. Krasnokutskaya, S.I. Rogozhnikov, S.N. Shurov, T.P. Kustova, M.V. Klyuev, O.G. Khelevina, P.A. Stuzhin, A.Yu. Fedorov, A.V. Gushchin, V.A. Dodonov, A.V. Kolobov, V.V. Plakhtinskii, V.Yu. Orlov, A.P. Kriven'ko, O.V. Fedotova, N.V. Pchelintseva, V.N. Charushin, O.N. Chupakhin, Yu.N. Klimochkin, A.Yu. Klimochkina, V.N. Kuryatnikov, Yu.A. Malinovskaya, A.S. Levina, O.E. Zhuravlev, L.I. Voronchikhina, A.S. Fisyuk, A.V. Aksenov, N.A. Aksenov, I.V. Aksenova. Organic chemistry. History and mutual relations of universities of Russia. *Journal of Organic Chemistry*. 2017. Vol.53. No.9. P.1275-1437. DOI: 10.1134/S1070428017090019
- [5] L.B. Kochetova, N.V. Kalinina, L.V. Kuritsyn, and T.P. Kustova. Kinetics and mechanism of acyl transfer reactions. Part 8. Influence of the solvent water-2 propanol composition on the kinetics of alyphatic amines reactions with 4-nitro phenylbenzoate. *Butlerov Communications.* **2014**. Vol.38. No.5. P.39-47. ROI: jbc-02/14-38-5-39
- [6] L.V. Kuritsyn, L.B. Kochetova, N.V. Kalinina, and T.P. Kustova. Kinetics and mechanism of acyl transfer reactions. Part 7. Influence of pH medium on the reactivity of amines in *N*-acylation. *Butlerov Communications*. **2014**. Vol.37. No.1. P.33-38. ROI: jbc-02/14-37-1-33
- [7] L.B. Kochetova, N.V. Kalinina, T.P. Kustova, and L.V. Kuritsyn. Kinetics and mechanism of acyl transfer reactions. Part 6. Quantum chemical interpretation of dipeptides and aminoacids reactivity in processes of acids amides and sulfamides formation. *Butlerov Communications.* **2013**. Vol.36. No.12. P.97-104. ROI: ibc-02/13-36-12-97
- [8] L.B. Kochetova, N.V. Kalinina, T.P. Kustova, and L.V. Kuritsyn. Kinetics and mechanism of acyl transfer reactions. Part 5. Dipeptides and amino acids reactivity in sulfamide bond formation processes. *Butlerov Communications.* **2013**. Vol.36. No.12. P.1-7. ROI: jbc-02/13-36-12-1
- [9] L.B. Kochetova, M.G. Paikova, N.V. Kalinina, and T.P. Kustova. Kinetics and mechanism of acyl transfer reactions. Part 4. Quantum chemical simulation of the mechanism of benzoylchloride and benzenesulphonyl chloride interactions with amino compounds of different classes. *Butlerov Communications*. **2013**. Vol.35. No.9. P.1-8. ROI: jbc-02/13-35-9-1
- [10] L.B. Kochetova, E.V. Nikitina, N.V. Kalinina, L.V. Kuritsyn, and T.P. Kustova. Kinetics and mechanism of acyl transfer reactions. Part 3. Glycine and ammonia reactivity in acyl transfer reactions. *Butlerov Communications.* **2012**. Vol.30. No.6. P.81-88. ROI: jbc-02/12-30-6-81
- [11] N.R. Sokolova, E.V. Nikitina, L.B. Kochetova, N.V. Kalinina, and T.P. Kustova. Kinetics and mechanism of acyl transfer reactions. Part 2. Kinetics of heterocyclic amines arensulfonylation in aqueous 1,4-dioxane. *Butlerov Communications.* **2012**.Vol.29. No.1. P.7-14. ROI: jbc-02/12-29-1-7
- [12] T.P. Kustova, L.B. Kochetova, and N.V. Kalinina. Kinetics and mechanism of acyl transfer reactions. Part 1. Reactivity of α-alanine in arensulfonylation in aqueous-organic media: kinetic experiment and reaction root simulation. *Butlerov Communications*. **2011**. Vol.27. No.13. P.1-12. ROI: jbc-02/11-27-13-1
- [13] T.P. Kustova, L.B. Kochetova, N.V. Kalinina. Solvent effects in the arensulfonylation of N-alkylanilines. *Journal of General Chemistry.* 2014. Vol.84. No.2. P.214-217. DOI: 10.1134/S1070363214020091
- [14] T.P. Kustova, E.G. Smirnova, L.B. Kochetova, N.V. Kalinina. Optimization of the synthesis conditions of products formed in arensulfonylation of N-alkylated anilines. *Journal of Applied Chemistry*. 2 014. Vol.84. No.2. P.1274-1278. DOI: 10.1134/S1070427214090146
- [15] N.N. Vorozhtsov. Basics of synthesis of intermediates and dyes. 4-th unit. *Moscow: Goskhimizdat.* **1955**. 839p. (russian)
- [16] K.U. Buller. Heat- and thermo-resistant polymers. *Moscow: Khimiya.* **1984**. 1056p. (russian)
- [17] M.D. Mashkovskiy. Medicinal products. *Moscow: Novaya Volna*. **2006**. 1206p. (russian)
- [18] MerckIndex. Ed. By Budavari S. 11th ed. N.Y.: Merck&Co., Rahway. 1989. P.1400-1416.
- [19] Kinetics of the reactions of acyl transfer. L.V. Kuristyn and etc.; ed. by L.V. Kuristyn. *Ivanovo: Ivanovo State University.* **2006**. 260p. (russian)
- [20] A.A. Granovsky. Firefly version 7.1.G. www http://classic.chem.msu.su/gran/firefly/index.html.
- [21] L.B. Kochetova. Kinetic regularities and mechanisms of amide formation reactions. *PhD Thesis in the Chemistry Sciences. Ivanovo.* **2017**. 355p.
- [22] L.B. Kochetova, T.P. Kustova, L.V. Kuristyn, A.A. Katushkin. Arenesulfonylation of N-alkylanilines: reaction kinetics and mechanism. *Russian Chemical Bulletin.* 2017. No.6. P.999-1006. DOI: 10.1007/s11172-017-1846-0

QUANTUM CHEMICAL SIMULATION OF MECHANISMS OF THE REACTIONS OF SECONDARY FATTY... 45-56

- [23] V.A. Savelova, N.M. Oleinik. Mechanisms of fission of organic catalysts. Bifunctional and intramolecular catalysis. *Kiev: Naukova Dumka.* **1990**. 294p. (russian)
- [24] L.B. Kochetova, T.P. Kustova, N.V. Kalinina, N.R. Ishkulova, V.V. Lutsuk. Quantum-chemical modeling of the mechanics of the interdependence of arylsulfonyl chlorides with α-amino acids. *Theoretical and Experimental Chemistry.* **2011**. Vol.47. No.1. P.56-60. (russian)
- [25] T.P. Kustova. Arensulfonylation of amines, arenecarbohydrazides and amino acids: the effect of the structure of the reagents and the effects of the medium. *PhD Thesis in Chemistry Sciences. Ivanovo.* **2008**. 300p. (russian)