

Thematic course: Chemical bath synthesis of metal chalcogenide films. Part 35.

Chemical bath deposition of Cu₂Se films with sodium selenosulfate

© Anastasia A. Timina,¹ Larisa N. Maskaeva,^{1,2+} Viacheslav F. Markov,^{1,2*}
Ekaterina A. Fedorova,¹ Konstantin A. Karpov,¹ and Andrey V. Pozdin¹

¹ Physical and Colloidal Chemistry Department. Ural Federal University Named After the First President of Russia B.N. Yeltsin. Mira St., 19. Yekaterinburg, 620002. Sverdlovsk Region. Russia

Phone: +7 (343) 375-93-18. E-mail: mln@ural.ru

² Chemistry and Combustion Process Department. Ural State Fire Service Institute of Emergency Ministry of Russia. Mira St., 22. Yekaterinburg, 620022. Sverdlovsk Region. Russia.

Phone: +7 (343) 360-81-68.

*Supervising author; ⁺Corresponding author

Keywords: copper(I) selenide, thin films, chemical bath deposition, ionic equilibriums, boarder conditions for deposition.

Abstract

Thin films of copper(I) selenide are widely used in optoelectronics and solar energetics because of optimal values of band gap energy equal to 1.1-2.3 eV. Chemical deposition from aqueous environments has significant perspective among existing methods of obtaining Cu₂Se thin films. This method eliminates the need for complex expensive equipment, high temperature heating and deep vacuum. Literature analysis shows domination of prescriptive approach to chemical deposition of copper(I) selenide thin films. Calculation method for predicting the boarder conditions for the formation of individual metal chalcogenides phases was used in this work and had been also widely tested on practice. Boarder conditions for the formation of copper(I) and copper(II) selenides were determined at the temperature of 298 K in two reaction systems: “CuCl₂ – NH₂OH·HCl – Na₂SeSO₃” and “CuCl₂ – KSCN – NH₂OH·HCl – Na₂SeSO₃” using selenosulfate of sodium as chalcogenizer. It’s shown that acidic pH range is the most preffered for chemical deposition of copper(I) selenide solid phase. Simultaneously conditions for deposition of copper hydroxides CuOH and Cu(OH)₂ were found. These hydroxides accompanying the formation of the sulfide. According to calculated concentrations of components in the reaction mixtures and pH in the both systems for bath deposition mirror polycrystalline layers of copper(I) selenide were synthesized. Layers had good adhesion to sitall substrate and thickness of 100-500 nm depending on the chosen conditions. The films were formed of crystals which average size is 80-450 nm. Due to results of energy-dispersion analysis the elemental composition of the films was investigated. The using of sodium selenosulfate as chalcogenizer and muriatic hydroxylamine provides reducing medium in reactor and causes the reduction of bivalent copper to monovalent condition and causes formation of Cu₂Se solid phase. Deposited layers are characterized with relatively high stoichiometry of formula composition. According to results of thermoEMF method the layers have hole type conductivity.

References

- [1] F. Rong, Y. Bai, T. Chen et. al. Chemical synthesis of Cu₂Se nanoparticles at room temperature. *Materials Research Bulletin*. **2012**. Vol.47. P.92-95.
- [2] K. Chopra, S. Das. Thin filmed solar elements. *Moscow: Mir*. **1986**. 435p. (russian)
- [3] A. Zhang, Q. Ma, Z. Wang, et. al. Controllable synthesis of copper selenide nanocrystals through a green paraffin-acetate method. *Materials Chemistry and Physics*. **2010**. Vol.124. P.916-921.
- [4] M. Doriani, H.J. Dehdashti, M.H. Sheikhi. A highly efficient thin film CuInGaSe₂ solar cell. *Journal of Solar Energy Engineering*. **2016**. Vol.137. Iss.6. P.178-183.
- [5] M. Mazzer, S. Rampino, E. Gombia and et.al. Progress on low-temperature pulsed electron deposition of CuInGaSe₂ solar cells. *Energies*. **2016**. Vol.9. Iss.3. P.207-212.
- [6] S. Oueslati, G. Brammertz, S. Oueslati et. al. Physical and electrical characterization of high-performance Cu₂ZnSnSe₄ based thin film solar cells. *Thin Solid Films*. **2015**. Vol.582. P.224-228.
- [7] R. Kondrotas, R. Juškėnas, R. Kondrotas et. al. Characterization of Cu₂ZnSnSe₄ solar cells prepared from electrochemically co-deposited Cu–Zn–Sn alloy. *Solar Energy Materials & Solar Cells*. **2015**. Vol.132. P.21-28.

- Full Paper** _____ A.A. Timina, L.N. Maskaeva, V.F. Markov, E.A. Fedorova, K.A. Karpov, and A.V. Pozdin
- [8] Z. Zainal, S. Nagalingam, T.C. Loo. Copper selenide thin films prepared using combination of chemical precipitation and dip coating method. *Materials Letters*. **2005**. Vol.59. P.1391-1394.
- [9] M. Dhanam, P.K. Manoj, R.R. Prabhu. High-temperature conductivity in chemical bath deposited copper selenide thin films. *Journal of Crystal Growth*. **2005**. Vol.280. P.425-435.
- [10] T.C. Liu, Y. Hu, W.B. Chang. Characterization of Cu_{2-x}Se thin films synthesized from electrochemical deposition. *Materials Science and Engineering B*. **2014**. Vol.180. P.33-37.
- [11] F. Rong, Y. Bai, T. Chen et. al. Chemical synthesis of Cu₂Se nanoparticles at room temperature. *Materials research bulletin*. **2012**. Vol.47. P.92-95.
- [12] F. Lin, G.Q. Bian, Z.X. Lei, et. al. Solvothermal growth and morphology study of Cu₂Se films. *Solid State Sciences*. **2009**. Vol.11. P.972-975.
- [13] E.A. Fedorova, L.N. Maskaeva, and V.F. Markov. Hydrochemical synthesis of metal chalcogenides films. Part 19. The films Cu_{2-x}Se: thermodynamic analysis of the formation conditions, the synthesis, composition, morphology. *Butlerov Communications*. **2014**. Vol.38. No.6. P.81-87. ROI: jbc-02/14-38-6-81
- [14] C. Lévy-Clément, M. Neumann-Spallart, S.K. Haram, et. al. Chemical bath deposition of cubic copper(I) selenide and its room temperature transformation to the orthorhombic phase. *Thin Solid Films*. **1997**. Vol.302. P.12-16.
- [15] S.R. Gosavi, N.G. Deshpande, Y.G. Gudage, R. Sharma. Physical, optical and electrical properties of copper selenide (CuSe) thin films deposited by solution growth technique at room temperature. *Journal of Alloys and Compounds*. **2008**. Vol.448. P.344-348.
- [16] P.P. Hankare, A.S. Khomane, P.A. Chate. Preparation of copper selenide thin films by simple chemical route at low temperature and their characterization. *Journal of Alloys and Compounds*. **2009**. Vol.469. P.478-482.
- [17] R.H. Bari, V. Ganesan, S. Potadar, L.A. Patil. Structural, optical and electrical properties of chemically deposited copper selenide films. *Bulletin of Materials Science*. **2009**. Vol.32. P.37-42.
- [18] A.S. Khomane. Synthesis and characterization of chemically deposited Cu_{2-x}Se thin films. *Archives of Applied Science Research*. **2012**. Vol.4. P.1857-1863.
- [19] B.G. Durdu, U. Alver, A. Kucukonder, et. al. Investigation on zinc selenide and copper selenide thin films produced by chemical bath deposition. *Acta Physica Polonica A*. **2013**. Vol.124. P.41-45.
- [20] R.S. Mane, S.P. Kajve, C.D. Lokhande, S.H. Han. Studies on p-type copper (I) selenide crystalline thin films for hetero-junction solar cells. *Vacuum*. **2006**. Vol.80. P.631-635.
- [21] G.K. Padam. The properties of chemically deposited Cu_{2-x}Se thin films. *Thin Solid Films*. **1987**. Vol.150. P.89-92.
- [22] M.G. Sandoval-Paz, C.A. Rodríguez, P.F. Porcile-Saavedra, C. Trejo-Cruz. Study of the crystallographic phase change on copper (I) selenide thin films prepared through chemical bath deposition by varying the pH of the solution. *Journal of Solid State Chemistry*. **2016**. Vol.239. P.106-112.
- [23] V.M. Bhuse, P.P. Hankare, K.M. Garadkar, A.S. Khomane. A simple, convenient, low temperature route to grow polycrystalline copper selenide thin films. *Materials Chemistry and Physics*. **2003**. Vol.80. P.82-88.
- [24] A.B. Al-Mamun, S.H. Firoz, M.O. Islam. Detection of crystal structure of chemically-deposited copper selenide thin films. *Indian Journal of Physics*. **2004**. Vol.78A. P.377-379.
- [25] M. Dhanam, P.K. Manoj, R.R. Prabhu. High-temperature conductivity in chemical bath deposited copper selenide thin films. *Journal of Crystal Growth*. **2005**. Vol.280. P.425-435.
- [26] R.R. Pai, T.T. John, M. Lakshmi, et. al. Observation of phase transitions in chemical bath deposited copper selenide thin films through conductivity studies. *Thin Solid Films*. **2005**. Vol.473. P.208-212.
- [27] V.M. Garcia, L. Guerrero, M.T.S. Nair, P.K. Nair. Effect of thermal processing on optical and electrical properties of copper selenide thin films. *Superficies y Vacio*. **1999**. Vol.9. P.213-218.
- [28] V.N. Podchainova, L.N. Simonova. Copper. *Moscow: Nauka*. **1990**. 280p. (russian)
- [29] S.S. Tulenin, S.A. Bakhteev, R.A. Yusupov et al. Diagrams of formation In₂S₃ and In₂Se₃ films on sitall in depositing reactions according to potentiometric titration. *Journal of Physical Chemistry*. **2013**. Vol.87. No.10. P.1791-1797. (russian)
- [30] N.A. Forostyanaya, L.N. Maskaeva, V.F. Markov. Influence of ligand nature on boarder conditions of formation and morphology of nanocrystal CdS films. *Journal of general chemistry*. **2015**. Vol.85. No.10. P.1596-1601. (russian)
- [31] L.N. Maskaeva, V.F. Markov, N.A. Forostyanaya et al. Kinetic aspects of chemical bath deposition of CdS from solutions with different ligand background. *Journal of General Chemistry*. **2016**. Vol.86. No.10. P.1624-1632. (russian)
- [32] R.K. Kvartzkhelia. Electrochemistry of hydroxylamine. *Tbilisi: Metzniereba*. **1981**. 108p.
- [33] V.F. Markov, L.N. Maskaeva, P.N. Ivanov. Chemical bath deposition of metal sulfide films: modeling and experiment. *Ekaterinburg: UrO RAN*. **2006**. 218p. (russian)

- [34] V.F. Markov, L.N. Maskaeva. Calculating the boundary conditions of the formation of solid-phase metal sulfides and selenides by deposition with thio- and selenourea. *Journal of Physical Chemistry*. **2010**. Vol.86. No.8. P.1421-1426. (russian)
- [35] J.N. Butler. Ionic equilibria. *Moscow: Khimia*. **1973**. 448p. (russian)
- [36] A.E. Martell, R.D. Hancock. Metall complexes in aqueous solutions. *Plenum Press. N. Y.-London*. **1996**. 253p.
- [37] E. Filippo, D. Manno, A. Serra. Synthesis and growth mechanism of dendritic $Cu_{2-x}Se$ microstructures. *Journal of Alloys and Compounds*. **2012**. Vol.538. P.8-10.
- [38] S.B. Ambade, R.S. Mane, S.S. Kale et. al. Chemical synthesis of p-type nanocrystalline copper selenide thin films for heterojunction solar cells. *Applied Surface Science*. **2006**. Vol.253. P.2123-2126.