

## Study of adsorption properties of mesoporous silica by reversed gas chromatography

© Elena O. Filippova,<sup>+</sup> Roman V. Shafigulin,\* Alexander A. Shmelev,  
Yulia S. Pleshakova, and Angela V. Bulanova\*

Physical Chemistry Division. Institute of Natural Sciences. Samara University. Moskovskoye Shosse, 34.  
Samara, 423086. Russia. Phone: +7 (846) 334-54-47. E-mail: fileona@mail.ru

\*Supervising author; <sup>+</sup>Corresponding author

**Keywords:** mesoporous silica, template synthesis, reverse gas chromatography, adsorption.

### Abstract

The mesoporous silica material was synthesized by the template method in a high-pressure autoclave. In addition, the texture characteristics (specific surface, volume and pore diameter) and the size of the obtained particles have been studied. The thermodynamic characteristics of sorption (sorption heat and entropy of sorption) of model organic compounds were obtained by inverse gas chromatography in the region of extremely low sorbate concentrations (Henry's region). Likewise the energy contributions of specific interactions to the total energy for the sorption of sorbates from the gas phase on the synthesized mesoporous silica material were calculated for the sorption of substances from the gas phase on the synthesized mesoporous silica material. For a comparative evaluation of the sorption mechanism of the model organic compounds were studied on porous silica, and the relationship between the energy component of the process (the heat of adsorption) and the change in entropy were analyzed. Also it is shown that a linear correlation is observed between these thermodynamic quantities, which indicates a certain similarity of the mechanism of sorption of the sorbates studied on synthesized mesoporous silica. Furthermore it was established that the entropy component of the process predominates in the sorption of model organic compounds on the mesoporous siliceous material studied.

### References

- [1] Sh. Sohrabnezhad, A. Jafarzadeh, A. Pourahmad Synthesis and characterization of MCM-41 ropes. *Materials Letters*. **2018**. Vol.212. P.16-19.
- [2] Arthur A. Bernardes, Cezar A. Emanuelli, PatríciaCofferri, et. al.Octadecyl-modifiedsilicas obtained by non-hydrolytic condensation of a C18-hybrid silica sol on a silica surface. *Journal of Non-Crystalline Solids*. **2017**. Vol.466-467. P.8-14.
- [3] Chao Dong, Xiang Lia, Anjie Wang, Yongying Chen, Haiou Liu Influence of nanoscale distribution of Pd particles in the mesopores of MCM-41 on the catalytic performance of Pd/MCM-41. *Catalysis Communications*. **2017**. Vol.100. P.219-222.
- [4] Laura L. Silva, Isabella P. Alkimim, Pablo A. S. Vasquez, Dilson Cardoso Synthesis and properties of MCM-41 with polymerizable CADMA cationic surfactant. *Catalysis Today*. **2017**. Vol.289. P.2-13.
- [5] Samson O. Akpotu, Brenda Moodley Application of as-synthesized MCM-41 and MCM-41 wrapped with reduced graphene oxide/graphene oxide in the remediation of acetaminophen and aspirin from aqueous system. *Journal of Environmental Management*. **2018**. Vol.209. P.205-215.
- [6] I.S. Puzyrev, E.P. Sobina, and S.V. Medvedevskih. Template synthesis and sorption of water vapor by porous silica gels with a high specific surface area. *Butlerov Communications*. 2013. Vol.36. No.10. P.141-145. ROI: jbc-02/13-36-10-141
- [7] Dayton G. Kizzire, SonalDey et.al. Studies of the mechanical and extreme hydrothermal properties of periodic mesoporous silica and aluminosilica materials. *Microporous and Mesoporous Materials*. **2017**. Vol.252. P.69-78.
- [8] M.C. Bacariza, I.Gracab, S.S. Bebianoc, J.M. Lopesa, C. Henriques Micro- and mesoporous supports for CO<sub>2</sub> methanation catalysts: A comparison between SBA-15, MCM-41 and USY zeolite. *Chemical Engineering Science*. **2018**. Vol.175. P.72-83.

- Full Paper** \_\_\_\_\_ E.O. Filippova, R.V. Shafigulin, A.A. Shmelev, Yu.S. Pleshakova, and A.V. Bulanova
- [9] Yu Lou, Sandrine Dourdainet. al. Structure evolution of mesoporous silica under heavy ion irradiations of intermediate energies. *Microporous and Mesoporous Materials*. **2017**. Vol.251. P.146-154.
- [10] M. Crisan, N. Dragan, D.Crisan, A. Ianculescu, I.Nitoi et al. The effects of Fe, Co and Ni dopants on TiO<sub>2</sub> structure of sol–gel nanopowders used as photocatalysts for environmental protection: A comparative study. *Ceramics International*. **2016**. Vol.42. P.3088-3095.
- [11] J. Ganan, S. Morante-Zarero, D. Perez-Quintanilla, I. Sierra. Evaluation of mesoporous imprinted silicas as MSPD selective sorbents of ketoprofen in powder milk. *Materials Letters*. **2017**. Vol.127. P.5-7.
- [12] M. Amoli-Diva, K. Pourghazi Gold nanoparticles grafted modified silica gel as a new stationary phase for separation and determination of steroid hormones by thin layer chromatography. *Journal of food and drug analysis*. **2015**. Vol.23. P.279-286.
- [13] L.A. Onuchak, A.V. Bulanova, S.V. Kurbatova. Calculations in gas chromatography (Part I). *Tutorial boook*. **2012**. 22p. (russian)
- [14] S.A. Borovikova. Physico-chemical properties of the surface of various nanomaterials according to spectrophotometry and gas chromatography. *Moscow: PhD Abstract in the Chemical Sciences*. **2011**. 26p. (russian)