

## Shell P-AutoExtremum(G) for automation of iterative algorithm for PES research with program Gaussian

© Alexander G. Shamov,<sup>1\*</sup> Daniil L. Egorov,<sup>2+</sup> and Grigory M. Khrapkovsky<sup>3</sup>

<sup>1</sup> Department of Informatization; <sup>2</sup> Research Department of Computational Chemistry;

<sup>3</sup> Department of Catalysis. Kazan National Research Technological University. K. Marx St., 68. Kazan 420015.

Republic of Tatarstan. Russia. Phone: (843) 231-42-53. E-mail: egorovdl2015@yandex.ru

\*Supervising author; <sup>†</sup>Corresponding author

**Keywords:** quantum-chemical calculation, transition state, PES, RP, Priroda, Gaussian, P-AutoExtremum, energy, enthalpy and free activation energies, aquathermolysis, software.

### Abstract

In the study of the mechanisms of chemical reactions, the most laborious calculations are connected with the study of the potential energy surface (PES), in particular, with the construction of reaction paths (RP) from the found transition states (TS) to the reactants and reaction products. The authors of this work suggested using several programs in the research process of reactions mechanisms in order to take advantage of each of them. A P-AutoExtremum shell program was created for the Priroda program, which automates the process of investigating an elementary chemical reaction event, including searching for a PS, building an OL from a PS to reagents and products, and optimizing the geometry of the latter. For the Priroda program a P-AutoExtremum shell program was created, which automates the process of investigating an elementary chemical reaction stage, including searching for a TS, building an RP from a TS to reagents and products, and optimizing the geometry of the latter. The final step in calculating the elementary stage of a chemical reaction is to compile a report using the P-Analysis program. The next step in investigating the reaction mechanism is to calculate the elementary act by a more accurate density functional method using Gaussian 09W (G09W). Unfortunately, at this stage there were technical problems associated with looping in calculating the reaction paths and optimizing the geometry of the reagents and reaction products. In part, they were overcome by applying the LQA option for the IRC keyword when  $\omega$ B97X when  $\omega$ B97XD method with calculating the RP and replacing the calculating the PES. To reduce the computer time and increase the reliability of calculations when searching for extremes on the PES, the authors created the P-AutoExtremum (G) shell program. It runs a series of G09W program runs with CalcFC and MaxCycle=N options, in which N is specified by the control shell according to a user-defined rule. The geometry of the molecule at the origin is specified by the user, and is taken from the calculation that was completed earlier. If the specified number of geometry optimization iterations in G09W is exceeded, the shell computes the new value of N and calls G09W again. The process stops when the extremum is localized to the PES with the specified accuracy, or when the maximum number of calls G09W specified in the shell is exceeded. The experience of using the described shell to search for extrema in poorly convergent problems of aquathermolysis of sulfur-containing compounds has shown its effectiveness: the algorithm used successfully works, and the number of analytical calculations of the matrix of second derivatives decreases by a factor of 5-10 when the localization of extremum.

### References

- [1] J.A. Pople, M. Head-Gordon, K. Raghavachari. Quadratic configuration interaction - a general technique for determining electron correlation energies. *J. Chem. Phys.* **1987**. Vol.87. P.5968-5975.
- [2] J.A. Pople, M. Head-Gordon, D.J. Fox, K. Raghavachari, L.A. Curtiss. Gaussian-1 theory: A general procedure for prediction of molecular energies. *J. Chem. Phys.* **1989**. Vol.90. P.5622-5629.
- [3] L.A. Curtiss, C. Jones, G.W. Trucks, K. Raghavachari, J.A. Pople. Gaussian-1 theory of molecular energies for second-row compounds. *J. Chem. Phys.* **1990**. Vol.93. P.2537-2545.
- [4] L.A. Curtiss, P.C. Redfern, K. Raghavachari. Gaussian-4 theory. *J. Chem. Phys.* **2007**. Vol.126. P.084108.
- [5] L.A. Curtiss, P.C. Redfern, K. Raghavachari. Gaussian-4 theory using reduced order perturbation theory. *J. Chem. Phys.* **2007**. Vol.127. P.124105.

- [6] M.A. Suntsova. Forecasting the enthalpies of the formation of new nitrogen-containing high-energy compounds on the basis of quantum chemical calculations. Thesis for the degree of candidate of chemical sciences. *Moscow: M.V. Lomonosov Moscow State University*. **2016**. (russian)
- [7] A.D. Becke. Density-functional thermochemistry. III. The role of exact exchange. *J. Chem. Phys.* **1993**. Vol.98. P.5648-5652.
- [8] R. Ditchfield, W.J. Hehre, J.A. Pople. Self-Consistent Molecular Orbital Methods. 9. Extended Gaussian-type basis for molecular-orbital studies of organic molecules. *J. Chem. Phys.* **1971**. Vol.54. P.724.
- [9] D.N. Laykov. Development of an economical approach to the calculation of molecules by the density functional method and its application to solving complex chemical problems. *PhD thesis in the physico-mathematical sciences. MSU*. **2000**. (russian)
- [10] D.N. Laikov, Yu.A. Ustynyuk. PRIRODA-04: a quantum-chemical program suite. New possibilities in the study of molecular systems with the application of parallel computing. *Russ. Chem. Bull.* **2005**. Vol.54. No.3. P.820-826. (russian)
- [11] D.N. Lajkov, Yu.A. Ustynyuk. The system of quantum-chemical programs "Priroda-04". New opportunities for studying molecular systems using parallel computations. *News of the Academy of Sciences. Chemistry Series*. **2005**. Vol.3. P.804-810. (russian)
- [12] J.P. Perdew, K. Burke, M. Ernzerhof. Generalized gradient approximation made simple. *Phys. Rev. Lett.* **1996**. Vol.77. P.3865-3868.
- [13] J.P. Perdew, K. Burke, M. Ernzerhof. Errata: Generalized gradient approximation made simple. *Phys. Rev. Lett.* **1997**. Vol.78. P.1396.
- [14] D.N. Laikov. A new parametrizable model of molecular electronic structure. *J. Chem. Phys.* **2011**. Vol.135. P.134120.
- [15] A.G. Shamov, I.V. Aristov, G.G. Garifzianova, and G.M. Khrapkovsky. Theoretical study of the mechanism of model sulfur aquathermolysis asphaltene using of the Priroda program. *Butlerov Communications*. **2016**. Vol.48. No.11. P.7-11. ROI: jbc-02/16-48-11-7
- [16] D.L. Egorov, A.G. Shamov, G.M. Khrapkovskii. Shell P-AutoExtremum for automation of the iterative algorithm of PES analysis using the Priroda program. *Bulletin of the Technological University*. **2015**. Vol.18. No.21. P.12-15 (russian)
- [17] A.G. Shamov, D.L. Egorov, G.M. Khrapkovskii. Automate search for extremes in the Priroda software package using the P-AutoExtremum program: search for transient states. *Bulletin of the Technological University*. **2015**. Vol.18. No.18. P.206-207 (russian)
- [18] D.L. Egorov, A.G. Shamov, and G.M. Khrapkovsky. Processing of the results of quantum chemical calculations using P-Analysis Program. *Butlerov Communications*. **2016**. Vol.48. No.11. P.1-6. ROI: jbc-02/16-48-11-1
- [19] A.G. Shamov, G.G. Garifzyanova, I.V. Aristov, O.D. Fominykh, G.M. Khrapkovsky. Quantum-chemical study of the mechanism of aquathermolysis phenanthro[4,5-bcd]thiophene. *Bulletin of the Technological University*. **2017**. Vol.20. No.2. P.5-10. (russian)
- [20] G.A. Andrienko. <https://www.chemcraftprog.com>.
- [21] Gaussian 09, Revision E.01, M.J. Frisch, G.W. Trucks, H.B. Schlegel, G.E. Scuseria, M.A. Robb, J.R. Cheeseman, G. Scalmani, V. Barone, B. Mennucci, G.A. Petersson, H. Nakatsuji, M. Caricato, X. Li, H.P. Hratchian, A.F. Izmaylov, J. Bloino, G. Zheng, J.L. Sonnenberg, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, T. Vreven, J.A. Montgomery, Jr., J.E. Peralta, F. Ogliaro, M. Bearpark, J.J. Heyd, E. Brothers, K.N. Kudin, V.N. Staroverov, R. Kobayashi, J. Normand, K. Raghavachari, A. Rendell, J.C. Burant, S.S. Iyengar, J. Tomasi, M. Cossi, N. Rega, J.M. Millam, M. Klene, J.E. Knox, J.B. Cross, V. Bakken, C. Adamo, J. Jaramillo, R. Gomperts, R.E. Stratmann, O. Yazyev, A.J. Austin, R. Cammi, C. Pomelli, J.W. Ochterski, R.L. Martin, K. Morokuma, V.G. Zakrzewski, G.A. Voth, P. Salvador, J.J. Dannenberg, S. Dapprich, A.D. Daniels, O. Farkas, J.B. Foresman, J.V. Ortiz, J. Cioslowski, and D.J. Fox. *Gaussian, Inc., Wallingford CT*. **2009**.
- [22] G.M. Khrapkovskii. A theoretical study of the formation and destruction of the aci-forms of nitromethane and dinitromethane. *Mendeleev Communications*. **1997**. Vol.7. No.5. P.169-171.
- [23] G.M. Khrapkovskii, D.V. Chachkov, A.G. Shamov. Influence of the structure of molecules on the change in the strength of the C-N bond in a series of nitroalkanes. I. Nitromethane, fluoronitromethanes, chloronitromethanes, fluorochloronitromethanes. *Russ. J. Gen. Chem.* **2001**. Vol.71. No.9. P.1530-1538 (russian)
- [24] A.F. Shamsutdinov, D.V. Chachkov, T.F. Shamsutdinov, A.G. Shamov, G.M. Khrapkovskii The effect of inhibited rotation of functional groups on the value of the pre-exponential factor of the reactions of

- Full Paper** \_\_\_\_\_ N.Yu. Kuzyakov, V.A. Veshnyakov, Yu.G. Khabarov, and E.A. Skripnikov  
gas-phase monomolecular decomposition of some C- and O-nitrocompounds. *Bulletin of the Technological University*. **2004**. No.2. P. 31-36. (russian)
- [25] G.M. Khrapkovsky, D.V. Chachkov, A.G. Shamov. Influence of the structure of molecules on the change in the strength of the C-N bond in the series of nitroalkanes. II. Nitroethane, fluoronitroethanes, chloronitroethanes, fluorochloronitroethanes. *J. General Chemistry*. **2004**. Vol.74. No.11. P.1835-1841.
- [26] E.A. Mazilov, D.V. Chachkov, A.G. Shamov, G.M. Khrapkovskii. Molecular structure and mechanisms of unimonomolecular decomposition of primary N-nitramines. *Russ. J. Gen. Chem.* **2009**. Vol.79. No.3. P.414-427.
- [27] G.M. Khrapkovskii, R.V. Tsyshevsky, D.V. Chachkov, D.L. Egorov, A.G. Shamov. Formation enthalpies and bond dissociation enthalpies for C<sub>1</sub>-C<sub>4</sub> MONONITROALKANES BY composite and DFT/B3LYP methods. *Computational and Theoretical Chemistry (THEOCHEM)*. **2010**. Vol.958. P.1-6.
- [28] D.D. Sharipov, D.L. Egorov, D.V. Chachkov, A.G. Shamov, G.M. Khrapkovskii. Theoretical study of competition of various mechanisms of gas-phase decomposition of aromatic nitrocompounds with hydrogen-containing substituents. 1. The influence of the molecular structure on the strength of the C-NO<sub>2</sub> bond and the activation energy of radical decay. *Bulletin of the Technological University*. **2010**. Vol.13. No.7. P.45-52. (russian)
- [29] D.D. Sharipov, D.L. Egorov, E.V. Nikolaeva, A.G. Shamov, G.M. Khrapkovskii. Theoretical study of the competition of various mechanisms of gas-phase decomposition of aromatic nitrocompounds with hydrogen-containing substituents. Part 2. The influence of the molecular structure on the barrier of activation of the nitro-nitrite rearrangement. *Bulletin of the Technological University*. **2010**. Vol.13. No.9. P.34-39. (russian)
- [30] D.L. Egorov, G.M. Khrapkovsky, A.G. Shamov. Influence of the molecular structure on the dissociation energy of the C-NO<sub>2</sub> bond in the series of fluoro- and chloro derivatives of dinitromethane. *Bulletin of the Technological University*. **2010**. Vol.13. No.10. P.18-21. (russian)
- [31] G.M. Khrapkovskii, A.G. Shamov, R.V. Tsyshevsky, D.V. Chachkov, D.L. Egorov, I.V. Aristov. Effect of halogen substituents on C-N bond strength in nitromethane. *Computational and Theoretical Chemistry*. **2012**. Vol.985. P.80-89.
- [32] G.M. Khrapkovskii, D.L. Egorov, A.G. Shamov. The dissociation energy of the C-NO<sub>2</sub> bond of nitrotoluenes. *Bulletin of the Technological University*. **2013**. Vol.16. No.21. P.20-23. (russian)
- [33] G.M. Khrapkovskii, D.L. Egorov, A.G. Shamov. The dissociation energies of the C-NO<sub>2</sub> bond of nitroanilines. *Bulletin of the Technological University*. **2013**. Vol.16. No.22. P.13-16. (russian)
- [34] J.-D. Chai, M. Head-Gordon. Systematic optimization of long-range corrected hybrid density functional. *J. Chem. Phys.* **2008**. Vol.128. P.084106.
- [35] J.-D. Chai, M. Head-Gordon. Long-range corrected hybrid density functionals with damped atom-atom dispersion corrections. *Phys. Chem. Chem. Phys.* **2008**. Vol.10. P.6615-6620.
- [36] A.D. McLean, G.S. Chandler. Contracted Gaussian-basis sets for molecular calculations. 1. 2nd row atoms, Z=11-18. *J. Chem. Phys.* **1980**. Vol.72. P.5639-5648.
- [37] K. Raghavachari, J.S. Binkley, R. Seeger, J.A. Pople. Self-Consistent Molecular Orbital Methods. 20. Basis set for correlated wave-functions. *J. Chem. Phys.* **1980**. Vol.72. P.650-654.
- [38] A. Schaefer, C. Huber, R. Ahlrichs. Fully optimized contracted Gaussian-basis sets of triple zeta valence quality for atoms Li to Kr. *J. Chem. Phys.* **1994**. Vol.100. P.5829-5835.
- [39] H.P. Hratchian, H.B. Schlegel. Accurate reaction paths using a Hessian based predictor-corrector integrator. *J. Chem. Phys.* **2004**. Vol.120. P.9918-9924.
- [40] H.P. Hratchian, H.B. Schlegel. Using Hessian updating to increase the efficiency of a Hessian based predictor-corrector reaction path following method. *J. Chem. Theory and Comput.* **2005**. Vol.1. P.61-69.
- [41] M. Page, Jr. J.W. McIver. On evaluating the reaction path Hamiltonian. *J. Chem. Phys.* **1988**. Vol.88. P.922-935.
- [42] M. Page, Jr. C. Doubleday, Jr. J.W. McIver. Following steepest descent reaction paths - the use of higher energy derivatives with ab initio electronic-structure methods. *J. Chem. Phys.* **1990**. Vol.93. P.5634-5642.
- [43] Y. Shao, Z. Gan, E. Epifanovsky, A.T.B. Gilbert, M. Wormit, J. Kussmann, A.W. Lange, A. Behn, J. Deng, X. Feng, D. Ghosh, M. Goldey, P.R. Horn, L.D. Jacobson, I. Kaliman, R.Z. Khaliullin, T. Kúš, A. Landau, J. Liu, E.I. Proynov, Y.M. Rhee, R.M. Richard, M.A. Rohrdanz, R.P. Steele, E.J. Sundstrom, H.L. Woodcock III, P.M. Zimmerman, D. Zuev, B. Albrecht, E. Alguire, B. Austin, G.J.O. Beran, Y.A. Bernard, E. Berquist, K. Brandhorst, K.B. Bravaya, S.T. Brown, D. Casanova, C.-M. Chang, Y. Chen, S.H. Chien, K.D. Closser, D.L. Crittenden, M. Diedenhofen, R. A. DiStasio Jr., H. Dop, A.D. Dutoi, R.G. Edgar, S. Fatehi, L. Fusti-Molnar, A. Ghysels, A. Golubeva-Zadorozhnaya, J. Gomes, M.W.D. Hanson-Heine, P.H.P. Harbach, A.W. Hauser, E.G. Hohenstein, Z.C. Holden, T.-C. Jagau, H. Ji, B. Kaduk, K. Khistyayev, J. Kim, J. Kim, R.A. King, P. Klunzinger, D. Kosenkov, T.

- Kowalczyk, C.M. Krauter, K.U. Lao, A. Laurent, K.V. Lawler, S.V. Levchenko, C.Y. Lin, F. Liu, E. Livshits, R.C. Lochan, A. Luenser, P. Manohar, S.F. Manzer, S.-P. Mao, N. Mardirossian, A. V. Marenich, S.A. Maurer, N.J. Mayhall, C.M. Oana, R. Olivares-Amaya, D.P. O'Neill, J.A. Parkhill, T.M. Perrine, R. Peverati, P.A. Pieniazek, A. Prociuk, D.R. Rehn, E. Rosta, N.J. Russ, N. Sergueev, S.M. Sharada, S. Sharma, D.W. Small, A. Sodt, T. Stein, D. Stück, Y.-C. Su, A.J.W. Thom, T. Tsuchimochi, L. Vogt, O. Vydrov, T. Wang, M.A. Watson, J. Wenzel, A. White, C.F. Williams, V. Vanovschi, S. Yeganeh, S.R. Yost, Z.-Q. You, I.Y. Zhang, X. Zhang, Y. Zhou, B.R. Brooks, G.K.L. Chan, D.M. Chipman, C.J. Cramer, W.A. Goddard III, M.S. Gordon, W.J. Hehre, A. Klamt, H.F. Schaefer III, M.W. Schmidt, C.D. Sherrill, D.G. Truhlar, A. Warshel, X. Xua, A. Aspuru-Guzik, R. Baer, A.T. Bell, N.A. Besley, J.-D. Chai, A. Dreuw, B.D. Dunietz, T.R. Furlani, S.R. Gwaltney, C.-P. Hsu, Y. Jung, J. Kong, D.S. Lambrecht, W. Liang, C. Ochsenfeld, V.A. Rassolov, L.V. Slipchenko, J.E. Subotnik, T. Van Voorhis, J.M. Herbert, A.I. Krylov, P.M.W. Gill, and M. Head-Gordon. *Advances in molecular quantum chemistry contained in the Q-Chem 4 program package. Mol. Phys.* **2015**. No.113. P.184-215.
- [44] H.B. Schlegel. Optimization of equilibrium geometries and transition structures *J. Comp. Chem.* **1982**. Vol.3. P.214-218.
- [45] C.J. Cerjan, W.H. Miller. On Finding Transition States. *J. Chem. Phys.* **1981**. Vol.75. P.2800-2806.
- [46] J. Simons, P. Jørgensen, H. Taylor, J. Ozment. Walking on Potential Energy Surfaces. *J. Phys. Chem.* **1983**. Vol.87. P.2745-53.
- [47] A. Banerjee, N. Adams, J. Simons, R. Shepard. Search for Stationary Points on Surfaces. *J. Phys. Chem.* **1985**. Vol.89. P.52-57.
- [48] X. Li, M.J. Frisch. Energy-represented DIIS within a hybrid geometry optimization method. *J. Chem. Theory and Comput.* **2006**. Vol.2. P.835-839.
- [49] J.B. Foresman, A. Frisch. Exploring Chemistry with Electronic Structure Methods. *Wallingford CT. Gaussian, Inc.* **2015**. 531p.
- [50] Gaussian 16, Revision A.03, M.J. Frisch, G.W. Trucks, H.B. Schlegel, G.E. Scuseria, M.A. Robb, J.R. Cheeseman, G. Scalmani, V. Barone, G.A. Petersson, H. Nakatsuji, X. Li, M. Caricato, A.V. Marenich, J. Bloino, B.G. Janesko, R. Gomperts, B. Mennucci, H.P. Hratchian, J.V. Ortiz, A.F. Izmaylov, J.L. Sonnenberg, D. Williams-Young, F. Ding, F. Lipparini, F. Egidi, J. Goings, B. Peng, A. Petrone, T. Henderson, D. Ranasinghe, V.G. Zakrzewski, J. Gao, N. Rega, G. Zheng, W. Liang, M. Hada, M. Ehara, K. Toyota, R. Fukuda, J. Hasegawa, M. Ishida, T. Nakajima, Y. Honda, O. Kitao, H. Nakai, T. Vreven, K. Throssell, J.A. Montgomery, Jr., J.E. Peralta, F. Ogliaro, M.J. Bearpark, J.J. Heyd, E.N. Brothers, K.N. Kudin, V.N. Staroverov, T.A. Keith, R. Kobayashi, J. Normand, K. Raghavachari, A.P. Rendell, J.C. Burant, S.S. Iyengar, J. Tomasi, M. Cossi, J.M. Millam, M. Klene, C. Adamo, R. Cammi, J.W. Ochterski, R.L. Martin, K. Morokuma, O. Farkas, J.B. Foresman, and D.J. Fox. *Gaussian, Inc., Wallingford CT.* **2016**.