

Application of gas-chromatography to clarify the attribution of the ancient clay vessel

© Viktor M. Pojidaev,¹⁺ Yana E. Sergeeva,¹ Irina S. Slushnaya,^{2,4}
Pavel K. Kashkarov,³ and Ekaterina B. Yatsishina^{3*}

¹ Complex of NBICS Technologies. ² Resource center. ³ National Research Center «Kurchatov Institute». Akademika Kurchatova Sq., 1. Moscow, 123182. Russia. ⁴ Peoples' Friendship University of Russia. Miklukho-Maklaya Str., 6. Moscow, 117198. Russia.

Phone: ¹⁾ +7 (499) 196-71-00, ²⁾ +7 (499) 196-71-00, ³⁾ +7 (499) 196-71-00.

E-mail: ¹⁾ pojidaev2006@yandex.ru, ^{2,4)} kef-irka08@mail.ru, ³⁾ nrcki@nrcki.ru

*Supervising author; ⁺Corresponding author

Keywords: gas chromatography, identification, ancient clay vessel, fatty acid compositions, animal oil, camel milk, attribution of archaeological findings.

Abstract

Since ancient times, people used ceramic vessels to transport and store food and drink. The chemical analysis of organic remains, preserved in archaeological sites, provides useful cultural information about ancient communities. In particular, the characteristic of the lipid fraction in archaeological material is of great importance for obtaining information on the use, habits and diet of people. The study of lipid residues of food products found on the outer and inner surfaces of ancient clay or ceramic vessels and their identification by chemical analytical methods can provide valuable information on the methods of using these vessels and food addictions of ancient people.

The results of investigation of organic remains of the contents of an ancient molded vessel from raw clay found by the Central Asian Historical and Household Expedition of the GMM in 1951 in the city of Tashauz (Khiva Khanate), using gas chromatography are present in this paper. Samples of "dried fat" from the surface of the vessel were processed according to two-stage scheme. The extracts obtained were derivatized with methanol to produce fatty acid methyl ester (FAME), which were analyzed by gas chromatography. Based on the fatty acid profiles of test samples and on quantitative ratios of the mass fractions saturated fatty acids (palmitic and stearic, palmitic and myristic), it was suggested that the test vessel was used to store butter from camel milk.

References

- [1] R.P. Evershed, S.N. Dudd, M.J. Lockhean, S. Jim. Lipids in Archaeology. In *Handbook of archaeological sciences*. Brothwell D.R., Pollard A.M. (eds). Chichester: John Wiley and Sons. **2001**. P.332-349.
- [2] R.P. Evershed, H.R. Mottram, S.N. Dudd, S. Charters, A.W. Stott, G.J. Lawrence, A.M. Gibson, A. Conner, P.W. Blinkhorn, V. Reeves. New criteria for the identification of animal fats preserved in archaeological pottery. *Naturwissenschaften*. **1997**. Vol.82. P.402-406.
- [3] R.P. Evershed, C. Heron, S. Charters, L.J. Goad. The survival of food residues: New methods of analysis, interpretation and application. *Proceedings of the British Academy*. **1992**. Vol.77. P.187-208.
- [4] J. Condamin, F. Formenti, M.O. Metais, M. Mishel, P. Blond. Application of gas-chromatography to tracing of oil in ancient amphorae. *Archaeometry*. **1976**. Vol.18. P.195-201.
- [5] M. Patrick, A.J. Dekoning, A.B. Smith. Gas-liquid chromatographic analysis of fatty acids in food residues from ceramics found in the Southwestern Cape, South-Africa. *Archaeometry*. **1985**. Vol.27. P.231-236.
- [6] J. Folch, M. Lees, G. Sloane-Stanley. A simple method for the isolation and purification of total lipids from animal tissues. *J. Biol. Chem.* **1957**. Vol.226. P.497-509.
- [7] A. Mayyas, K. Douglas, T. Hoffmann, U. Thorenz, I.B. Yaseen, E-K. Mohammed. Organic residues preserved in archaeological ceramics from the early bronze age site of Khirbet Al-Batrawy in north-central Jordan. *Mediterranean Archaeology and Archaeometry*. **2013**. Vol.13. No.2. P.189-206.

Full Paper V.M. Pojidaev, Ya.E. Sergeeva, I.S. Slushnaya, P.K. Kashkarov, and E.B. Yatsishina

- [8] G. Giorgi, L. Salvini, A. Pecci. The meals in a Tuscan building yard during the Middle Age. Characterization of organic residues in ceramic potsherds. *Journal of Archaeological Science*. **2010**. Vol.37. P.1453-1457.
- [9] M. Regert, H.A. Bland, S.N. Dudd, van P.F. Bergen, R.P. Evershed. Free and bound fatty acid oxidation products in archaeological ceramic vessels. *Proc. R. Soc. Lond. B*. **1998**. Vol.265. P.2027-2032.
- [10] M. Regert, S.N. Dudd, van P.F. Bergen, P. P'etrequin, R.P. Evershed. Investigations of solvent extractable lipids and insoluble polymeric components: organic residues in Neolithic ceramic vessels from Chalain (Jura, France). *Br. Archaeol. Rep. S.* **2001**. Vol.939. P.78-90.
- [11] M. Correa-Ascencio, R.P. Evershed. High throughput screening of organic residues in archaeological potsherds using direct methanolic acid extraction. *Analyst*. **2014**. Vol.6. P.1330-1340.
- [12] R.P. Evershed, S.N. Dudd, M.S. Copley, R. Berstan, A.W. Stott, H. Mottram, S.A. Buckley. Crossman Z. Chemistry of Archaeological Animal Fats. *Acc. Chem. Res.* **2002**. Vol.35. P.660-668.
- [13] T.B. Rossell. Chemistry of Lipids. In The Chemistry of Muscle-Based Foods; Ledward, D.A., Johnstone, D.E., Knight, M.K. Eds.; London: Royal Society of Chemistry. **1991**. P.193-202.
- [14] G.F. Nasirova, Ya.F. Zhukova, K.V. Pashuk, O.A. Zahandrevich. Fatty acids composition as an indicator of the presence of substitutes in milk fat. *MILKrecycling*. **2010**. Vol.62. No.11. P.12-19. (russian)
- [15] L.P. Bezzubov. Chemistry of fat. Moscow: Pishevaya promishlennost. **1975**. 280p. (russian)
- [16] M.I. Goryaev, N.A. Evdarova. Handbook of organic acid chromatography. Alma-Ata: Nauka. **1977**. 551p. (russian)
- [17] S.A. Nagornov, D.S. Dvoretskii, S.V. Romantsova, V.P. Tarov. Technique and technology of vegetable oils production and processing. Tambov: Izdatelstvo GOU VPO TGTU. **2010**. 96p. (russian)
- [18] A. Riles, C. Smith, R. Ward. Organic chemistry fundamentals for students of biological and medical specialties. Moscow: Mir. **1983**. 352p. (russian)
- [19] O.B. Rudakov, K.K. Polyanskii. The development of method for interpretation animal fats chromatogram. *Hranenie I pererabotka selhozproduktov*. **2001**. No.10. P.40-42. (russian)
- [20] B.N. Tyutyunnikov. Chemistry of fats. Moscow: Kolos. **1992**. 448p. (russian)
- [21] V.G. Shcherbakov. Technology vegetable oils obtaining. Moscow: Kolos. **1992**. 206p. (russian)
- [22] S.M. Yanovaya. Chemistry of fats. Moscow: NORMA. **2002**. 636p. (russian)
- [23] F.D. Gunstone, J.L. Harwood, A.J. Dijkstra. The lipid handbook. **2007**. CRC Press. 3th edition. 1472p.
- [24] S.S. Azimova, A.I. Glushenkova, V.I. Vinogradova. Lipids, Lipophilic Components and Essential Oils from Plant Sources. London: Springer. **2012**. 992p.
- [25] R.J. Hamilton, A. Bhati. Fats and oils: chemistry and technology. London: Applied Science Publishers Ltd. **1980**. 255p.
- [26] A. Kuksis. Fatty Acids and Glycerides. Handbook of Lipid Research. Plenum Press. New York. **1978**. 469p.
- [27] P.T. Nicholson, I. Shaw. Ancient Egyptian Materials and Technology. Cambridge University Press. **2000**. 702p.
- [28] N.S. Arutyunyan, E.A. Arisheva. Laboratory workshop on the fats chemistry. Moscow: Pishevaya promishlennost. **1979**. 176p. (russian)
- [29] L.M. Bogdanov. Chemical composition and properties of milk fat. *Pishevaya I pererabativayuschaya promishlennost*. **1987**. No.8. P.48-50. (russian)
- [30] S.G. Kanareikina, A.A. Slinkin. The study of fatty acids composition of product using dry mare's milk. *Agrarnii vestnik Urala*. **2011**. Vol.82. No.3. P.56-57. (russian)
- [31] S.I. Niftaliev, E.I. Melnikova, A.A. Selivanova. Gas chromatography determination fatty acid composition of milk fat substitutes and other specialized fats. *Sorbionnie I chromatograficheskie processi*. **2009**. Vol.9. No.4. P.574-581. (russian)
- [32] I.M. Skurihin, V.A. Tutel'yan. Tables of the chemical composition and caloric content of Russian food products. Handbook. Moscow: DeLi print. **2007**. 276p. (russian)
- [33] I.M. Skurihin, I.M. Nechaev. Everything about food from the chemist's point of view. Moscow: Vissshaya shkola. **2001**. 288p. (russian)
- [34] F.A. Chmilenko, N.P. Minaeva, A.V. Sandomirskij, L.P. Sidorova. Identification of milk products falsification by gas chromatographic method. *Metodi I obecti chimicheskogo analisa*. **2009**. Vol.4. No.1. P.60-66. (russian)
- [35] P. Bergamo, E. Fedele, L. Iannibelli, G. Marzillo. Fat-soluble vitamin contents and fatty acid composition in organic and conventional Italian dairy products. *Food Chem.* **2003**. Vol.82. P.625-631.
- [36] T. Slots, J. Sorensen, J.H. Nielsen. Tocopherol, carotenoids and fatty acid composition in organic and conventional milk. *Milchwissenschaft*. **2008**. Vol.63. P.352-355.

- [37] P. McDonald, R.A. Edwards and J.F.D. Greenhalgh. Lipids. In *Animal Nutrition*. Longman Group UK Ltd, Essex, UK. **1988**. P.26-41.
- [38] A. Kuksis, L. Marai, J.J. Myher. Triglyceride Structure of Milk Fats. *J. Am. Oil Chem. Soc.* **1973**. Vol.50. P.193-201.
- [39] R. Rottlander. Die resultate der modernen fettanalytik und ihre Anwendung auf die prahistorisches Forschung. *Archaeo-Physica*. **1990**. Vol.12. P.1-354.
- [40] V.M. Pozhidaev, Ya.E. Sergeeva, A.V. Kamayev. Study of archaeological artifact by chromatography–mass spectrometry. *Journal of Analytical Chemistry*. **2017**. Vol.72. P.699-702. (russian)