

## Oxidation of azodye Direct Black 22 by Fenton and photo-Fenton processes

© **Abdulgalim B. Isaev**,\*<sup>†</sup> **Madina A. Alieva**, and **Aida Kh. Idrisova**

Department of Environmental Chemistry and Technology. Dagestan State University. M. Gadjieva St. 43a. Makhachkala, 367001. Russia. Phone: +7 (8722) 68-07-03. E-mail: [abdul-77@yandex.ru](mailto:abdul-77@yandex.ru)

\*Supervising author; <sup>†</sup>Corresponding author

**Keywords:** direct black 22, azodye, oxidation, Fenton process, photo-Fenton process.

### Abstract

The direct black 22 (DB) (C.I. 35435) azodye oxidation with use of the Fenton reagent and the photo-Fenton system (Fenton reagent under irradiation with UV light) was studied. The dye oxidation proceeds through with the formation of hydroxyl radicals upon the catalytic decomposition of hydrogen peroxide in the presence of  $\text{Fe}^{2+}$  ions. The kinetics of DB molecules oxidation using various oxidants (UV-light, hydrogen peroxide, Fenton reagent ( $\text{Fe}^{2+}+\text{H}_2\text{O}_2$ ), and the photo-Fenton process ( $\text{UV}/\text{Fe}^{2+}+\text{H}_2\text{O}_2$ )) are considered. The dye concentration was determined by the spectrophotometric method. Investigation of the kinetics of DB oxidation was carried out under pseudo-first order conditions. The rate constant and the initial rate DB molecules oxidation values are calculated for different variants of its oxidation. The highest oxidation rate is observed when the UV light/Fenton reagent is implemented. The effect of hydrogen peroxide concentration on the efficiency of DB oxidation was studied. An increase the hydrogen peroxide concentration of leads to a significant increase the efficiency of the process, which is associated with the formation of more hydroxyl radicals during the decomposition of hydrogen peroxide when irradiated with UV-light. When comparing the oxidation of the DB with hydrogen peroxide and Fenton's reagent under irradiation with UV light, the efficiency of the process is increased by 43%. Much of the DB molecules are oxidized when treated with Fenton's reagent in 20 minutes of the process at a hydrogen peroxide concentration of 0.15 mg/l. It is shown, that when the concentration of iron ions in the solution is increased, the degree of decolorization of the DB solution passes through a maximum, which is due to the rapid oxidation of  $\text{Fe}^{2+}$  and the formation of iron-containing sludge.

### References

- [1] J.R. Easton. The dye maker's view. Color in dyehouse effect. Society of Dyes and Colourists. Nottingham. 1995.
- [2] T. Robinson, G. McMullan, R. Marchant, P. Nigam. Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative. *Bioresource technology*. 2001. Vol.77. No.3. P.247-255.
- [3] A.M. Kiselev. Ecological aspects of processes of finishing the textile materials. *Russian Chemical Journal (Journal of the Russian Chemical Society named after D.I. Mendeleev)*. 2002. No.1. P.20-31. (russian)
- [4] V.A. Epishkina, M.B. Arhipova, A.M. Kiselev. On the possibility of reducing the environmental load in the process of finishing textile materials. *Ecology and Industry of Russia*. 2000. No.4. P.58-69. (russian)
- [5] P.C. Vandevivere, R. Bianchi, W. Verstraete. Treatment and reuse of wastewater from the textile wet-processing industry: review of emerging technologies. *J. Chem. Techn. Biotech.* 1998. Vol.72. P.289-302.
- [6] R.O.A. de Lima, A.P. Bazo, D.M.F. Salvadori, C.M. Rech, D. de Palma Oliveira, G. de Aragão Umbuzeiro. Mutagenic and carcinogenic potential of a textile azo dye processing plant effluent that impacts a drinking water source. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*. 2007. Vol.626. No.1. P. 53-60.
- [7] K.T. Chung. Azo dyes and human health: A review. *Journal of Environmental Science and Health. Part C*. 2016. Vol.34. No.4. P.233-261.
- [8] D. Rawat, V. Mishra, R.S. Sharma. Detoxification of azo dyes in the context of environmental processes. *Chemosphere*. 2016. Vol.155. P.591-605.

- [9] P.K. Malik. Dye removal from wastewater using activated carbon developed from sawdust: adsorption equilibrium and kinetics. *Journal of Hazardous Materials*. **2004**. Vol.113. No.1. P.81-88.
- [10] S. Wang, Z.H. Zhu. Sonochemical treatment of fly ash for dye removal from wastewater. *Journal of hazardous materials*. **2005**. Vol.126. No.1. P.91-95.
- [11] S. Papić, N. Koprivanac, A. L. Božić, A. Meteš. Removal of some reactive dyes from synthetic wastewater by combined Al (III) coagulation/carbon adsorption process. *Dyes and Pigments*. **2004**. Vol.62. No.3. P.291-298.
- [12] C.I. Pearce, J.R. Lloyd, J.T. Guthrie. The removal of colour from textile wastewater using whole bacterial cells: a review. *Dyes and pigments*. **2003**. Vol.58. No.3. P.179-196.
- [13] J.J. Pignatello, E. Oliveros, A. MacKay. Advanced oxidation processes for organic contaminant destruction based on the Fenton reaction and related chemistry. *Critical reviews in environmental science and technology*. **2006**. Vol.36. No.1. P.1-84.
- [14] I. Arslan-Alaton. A review of the effects of dye-assisting chemicals on advanced oxidation of reactive dyes in wastewater. *Coloration Technology*. **2003**. Vol.119. No.6. P.345-353.
- [15] F.C. Moreira, R.A. Boaventura, E. Brillas, V.J. Vilar. Electrochemical advanced oxidation processes: a review on their application to synthetic and real wastewaters. *Applied Catalysis B: Environmental*. **2017**. Vol.202. P.217-261.
- [16] M.A. Hassaan, A. El Nembr. Advanced Oxidation Processes for Textile Wastewater Treatment. *International Journal of Photochemistry and Photobiology*. **2017**. Vol.2. No.3. P.85-93.
- [17] E. Forgacs, T. Cserhati, G. Oros. Removal of synthetic dyes from wastewaters: a review. *Environment international*. **2004**. Vol.30. No.7. P.953-971.
- [18] A. Babuponnusami, K. Muthukumar. A review on Fenton and improvements to the Fenton process for wastewater treatment. *Journal of Environmental Chemical Engineering*. **2014**. Vol.2. No.1. P.557-572.
- [19] S. Wang. A comparative study of Fenton and Fenton-like reaction kinetics in decolourisation of wastewater. *Dyes and Pigments*. **2008**. Vol.76. No.3. P.714-720.
- [20] J. Herney-Ramirez, M.A. Vicente, L.M. Madeira. Heterogeneous photo-Fenton oxidation with pillared clay-based catalysts for wastewater treatment: a review. *Applied Catalysis B: Environmental*. **2010**. Vol.98. No.1. P.10-26.
- [21] M.S. Lucas, J.A. Peres. Decolorization of the azo dye Reactive Black 5 by Fenton and photo-Fenton oxidation. *Dyes and Pigments*. **2006**. Vol.71. No.3. P.236-244.
- [22] P.V. Nidheesh, R. Gandhimathi, S.T. Ramesh. Degradation of dyes from aqueous solution by Fenton processes: a review. *Environmental Science and Pollution Research*. **2013**. Vol.20. No.4. P.2099-2132.
- [23] A.N. Soon, B.H. Hameed. Heterogeneous catalytic treatment of synthetic dyes in aqueous media using Fenton and photo-assisted Fenton process. *Desalination*. **2011**. Vol.269. No.1. P.1-16.
- [24] F.H. AlHamedi, M.A. Rauf, S.S. Ashraf. Degradation studies of Rhodamine B in the presence of UV/H<sub>2</sub>O<sub>2</sub>. *Desalination*. **2009**. Vol.239. No.1-3. P.159-166.
- [25] S.R. Pouran, A.R.A. Aziz, W.M.A.W. Daud. Review on the main advances in photo-Fenton oxidation system for recalcitrant wastewaters. *Journal of Industrial and Engineering Chemistry*. **2015**. Vol.21. P.53-69.
- [26] E. Neyens, J. Baeyens. A review of classic Fenton's peroxidation as an advanced oxidation technique. *Journal of Hazardous materials*. **2003**. Vol.98. No.1. P.33-50.
- [27] A.I. Kourdioukov, A.R. Gabitova, F.M. Gumerov, E.N. Ofitserov, and D.L. Egorov. Quantum-chemical study of the transformation of triglycerides. Part 4. Elementary acts of supercritical water oxidation (SCWO) model analogs fatty acid triglycerides in supercritical fluid media. *Butlerov Communications*. **2015**. Vol.44. No.10. P.153-197. DOI: 10.1007/s10241-015-0153-1
- [28] J. Fernandez, J. Bandara, A. Lopez, Ph. Buffar, J. Kiwi. Photoassisted Fenton degradation of nonbiodegradable azo dye (Orange II) in Fe-free solutions mediated by cation transfer membranes. *Langmuir*. **1999**. Vol.15. No.1. P.185-192.
- [29] C.T. Benattia, A.C.S. Costa, C.R.G. Tavares. Characterization of solids originating from the Fenton's process. *J. Hazard. Mater.* **2009**. Vol.163. P.1246-1253.
- [30] L. Nunez, J.A. Garcia-Hortal, F. Torrades. Study of kinetic parameters related to the decolourization and mineralization of reactive dyes from textile dyeing using Fenton and photo-Fenton processes. *Dyes and Pigments*. **2007**. Vol.75. P.647-652.
- [31] S. Tunc, T. Gurkan, O. Duman. On-line spectrophotometric method for the determination of optimum operation parameters on the decolorization of acid Red 66 and direct blue 71 from aqueous solution by Fenton process. *Chem. Eng. J.* **2012**. Vol.181-182. P.431-442.

- [32] S. Tunc, O. Duman, T. Gurkan. Monitoring the decolorization of acid Orange 8 and acid Red 44 from aqueous solution using Fenton's reagents by on-line spectrophotometric method: effect of operation parameters and kinetic study. *Ind. Eng. Chem. Res.* **2013**. Vol.52. P.1414-1425.
- [33] E. Chamarro, A. Marco, S. Esplugas. Use of Fenton reagent to improve organic chemical biodegradability. *Water Res.* **2001**. Vol.35. P.1047-1051.