Full Paper

Evaluation of donor-acceptor properties of polycyclic hydrocarbon molecules by the integral autocorrelation characteristics of the optical spectra

© Mikhail Yu. Dolomatov,^{1,2}* Natalia H. Paymurzina,²⁺ and Ella A. Kovaleva¹ ¹ Ufa State Petroleum Technological University. Kosmonavtov St., 1. Ufa, 450062. Bashkortostan Republic. Russia. Phone: +7 (917) 406-27-06. E-mail: kovaleva-ugntu@yandex.ru ² Institute of Physics and Technology of Bashkir State University. ZakiValidi St., 32. Ufa, 450074. Bashkortostan Republic. Russia. E-mail: mdolomatov@bk.ru, paimurzina@inbox.ru

*Supervising author; ⁺Corresponding author

Keywords: polycyclic aromatic hydrocarbon, optical spectra, potential ionization, electron affinity, parameter of electron-donating ability, relative integral autocorrelation characteristics.

Abstract

This study established a relationship between of the relative integral autocorrelation characteristics of the optical spectra and donor-acceptor properties of polycyclic aromatic hydrocarbon (PAH) molecules. It is shown that the identified patterns are to hydrocarbons of a certain groups of symmetry according to the system of notation, known as the classification of Schoenflies. For registration of optical spectra were clear and optically transparent solvents used. The energy spectra of the molecules we present in the form of integrals of autocorrelation functions (IACF), according to the technique adopted in statistical radio physics to describe random processes. The physical meaning of the relative IACFs is the relative interaction energy of the electronic states in the ultraviolet region and the quality of energy transition of electronic states of molecules at certain frequencies. Values of relative IACFs equal to the ratio of the energy in the UV part of the spectrum to the energy of the electronic spectrum. The values of ionization potential and electron affinity of molecules of organic semiconductors was determined by the density functional theory with the Becke's three parameter exchange functional along with the Lee-Yang-Parr correlation functional (B3LYP) with basis set 6-311+G (d,p). In the course of the experiment established a linear relationship between the relative IACF and the characteristics of the parameter of electron-donating ability of the PAH molecules for each symmetry group. Adequacy of the mathematical model is by mathematical statistics confirm. The resulting patterns suggests the possibility of determining donor-acceptor characteristics without quantum calculations and experiments using complex equipment.

References

- [1] L.I. Bondaletova, V.G. Bondaletov. Polymer Composite Materials (Part 1): A Training Manual. *Tomsk:* Tomsk Polytechnic University. 2013. 118p. (russian)
- [2] M.Ju. Dolomatov, G.R. Mukaeva. Methods for determining the potentials of ionization and ostidstvo to electron atoms and molecular methods of electron spectroscopy. Applied spectroscopy. 1992. Vol.56. No.4. P.570-574. (russian)
- [3] M.Y. Dolomatov, D.O. Shulyakovskaya, G.R. Mukaeva, G.U. Jarmuhametova and K.F. Latypov. Simple Characteristics Estimation Methods of Material and Molecule Electronic Structure. Journal of Materials Science and Engineering B. 2012. Vol.4. No.2. P.261-268. (russian)
- [4] M.Ju. Dolomatov, Je.A. Kovaleva, N.H. Paymurzina. Phenomenological approach to the mathematical analysis of electronic spectra of organic semiconductors. Nanotechnology: development, application-XXI century. 2016. Vol.8. No.4. P.43-48. (russian)
- [5] M.Ju. Dolomatov, K.F. Latypov. Determination of the ionization potential of heterocyclic molecules in the optical spectrum of absorption of electromagnetic radiation in the visible UF-field. Fotonika. 2017. No.4. P.60-65. (russian)
- [6] V.I. Tihonov. Statistical Radio Engineering. Moscow: Radio communication. 1982. 624p. (russian)
- [7] V. Shmidt. Optical spectrography for chemists and biologists. *Moscow: Technosphere.* 2007. 368p. (russian)
- [8] M.Ju. Dolomatov, Je.A. Kovaleva, N.H. Pajmurzina, A.R. Valiullin. Estimation of electron-donor qualities by autocorrelation characteristics of the spectral density distribution function of electronic absorption spectra. Bashkirsky Chemical Journal. 2016. Vol.23. No.3. P.35-40. (russian)
- 28 _____ © Butlerov Communications. 2018. Vol.53. No.2. _____ Kazan. The Republic of Tatarstan. Russia.

EVALUATION OF DONOR-ACCEPTOR PROPERTIES OF POLYCYCLIC HYDROCARBON MOLECULES... 28-37

- [9] N.V. Ivanova, O.V. Sizova. Molecular symmetry in inorganic coordination chemistry. St. Petersburg: Lan. 2016. 276p. (russian)
- [10] G. Malloci, G. Cappellini, G. Mulas, A. Mattoni. Electronic and optical properties of families of polycyclic aromatic hydrocarbons: a systematic (time-dependent) density functional theory study. Chemical Physics. 2011. Vol.1-3. No.384. P.19.