

## Application of ICP-AES technique for determination of zinc in plants and plant products

© Vladimir A. Litvinskiy,<sup>1</sup> Ekaterina A. Grishina,<sup>1</sup>  
Vladimir V. Nosikov,<sup>1</sup> and Sergey L. Belopukhov<sup>2</sup>

<sup>1</sup> Pryanishnikov Institute of Agrochemistry. Pryanishnikova St., 31A. Moscow, 127550. Russia.

Phone: +7 (499) 976-46-47. E-mail: vl.litvinskiy@gmail.com

<sup>2</sup> Russian Timiryazev State Agrarian University. Timiryazevskaya St., 49. Moscow, 127550. Russia.

Phone: +7 (499) 976-28-62. E-mail: SBelopuhov@rgau-msha.ru

\*Supervising author; †Corresponding author

**Keywords:** atomic emission spectrometry, inductively coupled plasma, plants, plant products, zinc, methods of determination, organic livestock, organic farming.

### Abstract

The global tendency of agriculture ecologization attaches particular importance to accurate and reliable determination of chemical elements that could act both as microelements and as heavy metals in plants and plant products for purposes of animal's feeding.

One of such elements is zinc. As a microelement it is necessary for the full growth and development of plants, by playing important role in synthesis of chlorophyll, auxins, and carbohydrates in the upper part of plants, by being the part of ferments, which regulate redox reactions in cell and by influencing on the processes of generation.

In the organism of farm animals zinc is necessary for timely puberty, normal development of generative organs, for proper functioning of organs of smell and taste, for immune response regulation and proper healing of wounds.

Both deficiency and excess of zinc in crop production are fraught with negative consequences for growth and development of plant and for growth and development of farm animals which are fed by these plants. When the content of zinc is exceeded the value of maximum allowable limit regulated by sanitary and veterinary regulations and rules, this element begins to act as a heavy metal.

Such a double manifestation of the properties of zinc makes necessarily a using of accurate, reliable and high-performance method of this element determination in plants and plant production.

Nowadays in Russia for zinc determination in plant raw materials and feeds, normative documents based on atomic-absorption measurement after classical dry or wet ashing are used.

However, modern international analytical practice and international standard materials based on it increasingly recommend the method of atomic emission spectrometry with inductively coupled plasma for solving problems of determining the content of microelements and heavy metals, including zinc.

This method has a number of fundamental advantages in comparison with the method of atomic absorption spectroscopy.

We conducted a study of the suitability of the integrated use of the method of atomic emission spectrometry with inductively coupled plasma and microwave mineralization of plant samples for the analysis of zinc content in plants and crop production.

As demonstrated by our study, the proposed approach is not only suitable for the stated purpose, but even allows to surpass the reproducibility of standardized methods based on atomic absorption spectroscopy, not least because of advantages of microwave mineralization of samples. These statements are confirmed by statistical evaluation of the experimental data.

From the work carried out, we conclude that the method of determining zinc in plants and crop production by atomic-emission spectrometry with inductively coupled plasma in combination with microwave mineralization can be recommended for use in the context of greening of agriculture and organic livestock.

## References

- [1] Presidential Decree “About Strategy of scientific and technological development of Russian federation” “On the strategy of scientific and technological development of the Russian Federation” (№642 by 01.12.2016)
- [2] *GOST R 56508-2015*. Organic production. Regulations for production, storage, transportation. *Standartinform. Publ.* **2015**. 79p. (russian)
- [3] V.A. Litvinskiy, E.A. Grishina, V.V. Nosikov, S.L. Belopukhov. Continuous flow analyzers: Application of automatization approach from ecological studies to the classic methods of agrochemistry soil analyses. *Herald of Kazan' University of Technology*. **2016**. Vol.19. No.21. P.178-180. (russian)
- [4] E.A. Grishina, V.A. Litvinskiy, V.V. Nosikov, S.L. Belopukhov. Chemical analysis of the mobile boron compounds using the continuous flow analyzer San<sup>++</sup>. *Herald of Kazan' University of Technology*. **2016**. Vol.19. No.23. P.149-153. (russian)
- [5] *GOST R 55447 2013*. Feedstuffs, compound feeds, feed raw materials. Determination of cadmium, lead, arsenic, mercury, chromium, tin by atomic absorption spectroscopy. *Standartinform. Publ.* **2014**. 20p. (russian)
- [6] *GOST 30178-96*. Raw material and food-stuffs. Atomic absorption method for determination of toxic elements. *Standards Publ.* **1997**. 10p. (russian)
- [7] *GOST 30692 2000* Fodders, mixed fodders and animal raw foodstuff. Atomic absorption method for determination of copper, lead, zinc and cadmium. *Standards Publ.* **2002**. 11p. (russian)
- [8] *EN ISO 6869:2000* Animal feeding stuffs - Determination of the contents of calcium, copper, iron, magnesium, manganese, potassium, sodium and zinc - Method using atomic absorption spectrometry
- [9] *ISO 27085:2009(en)* Animal feeding stuffs – Determination of calcium, sodium, phosphorus, magnesium, potassium, iron, zinc, copper, manganese, cobalt, molybdenum, arsenic, lead and cadmium by ICP-AES
- [10] E.A. Grishina. Influence of the organo-mineral complex from flax sheave on the yield and the quality of fiber flax (*Linum usitatissimum* L.) and white lupin (*Lupinus albus* L.) Thesis for a Doctor of Philosophy Degree in Biology. *RSAU-MTAA*. **2015**. (russian)
- [11] K.A. Timiryazev. About probable significance of zinc in plant economy. *Writings of naturalists*. **1872**. Vol.3.
- [12] M.V. Katalymov. Microelements and microfertilizers. *Moscow: Khimiya*. **1965**. 332p. (russian)
- [13] N.P. Bityuckiy. Microelements and plants. Training manual. *Sankt-Petersburg Univ. Publ., Sankt Petersburg*. **1999**. 232p. (russian)
- [14] A. Kabata-Pendias. Microelements in the soil and plants. *Mir: Moscow*. **1989**. 439p. (russian)
- [15] T.M. Minkina, S.S. Mandzhieva, A.M. Bogdanova, V.A. Chaplygin, T.V. Bauer, M.V. Burachevskaya, L.Yu. Mashtykova, N.V. Gromakova, S.N. Sushkova. Zinc and lead uptake by plants from polluted soil. *Zhivye i biokosnye sistemy*. **2016**. 17; URL: <http://www.jbks.ru/archive/issue-17/article-3>
- [16] Veterinary sanitary standards and requirements to the quality of feed for unproductive animals (approved by Decree of Veterinary Department of Ministry of agriculture and production of Russian Federation in 15.07.97 No. 13-7-2/1010)
- [17] I.E. Soldatova, E.D. Soldatov, S.U. Khairbekov. The influence of biologically active fertilizers on reduction of heavy metals concentration in mountain grassland phytocenoses. *Izvestiya GGAU [GGAU news]*. **2014**. Vol.51. No.2. P.263-267. (russian)
- [18] A.I. Andreev, Ye.N. Skovorodin. Demand of replacement heifer in zinc and copper. *Zootechny*. **1996**. No.10. P.15-16. (russian)
- [19] I.E. Soldatova, E.D. Soldatov, S.U. Khairbekov. The influence of the mode of use of mountain pastures on the variation of some biological characteristics of the phytocenosis. *Mountain Agriculture*. **2016**. Vol.2. P.73-79. (russian)
- [20] B.D. Kalnickiy. Mineral substances in animal feeding. *Leningrad: Agropromizdat*. **1985**. 207p. (russian)
- [21] V.F. Lisovich, P.V. Kolosova. Treatment with Sulfetriksan for piglets with parakeratosis. *Electronic Scientific Journal*. **2016**. Vol.12-1 (15). P.49-51. (russian)
- [22] V.G. Mineev. Agrochemistry: Coursebook. 2<sup>nd</sup> Edition. *MSU Publ., Moscow*. **2004**. 720p. (russian)
- [23] *Regulation (EC) No 834/2007 of 28 June 2007* on organic production and labelling of organic products and repealing Regulation (EEC) No 2092/91
- [24] Ye.A. Karpova, Yu.A. Potatuyeva, Yu.I. Kasickiy, K.N. Kobaliya. Influence of long-termed application of different forms of phosphate fertilizers on cadmium, lead, nickel and strontium content in sod-podzolic soil and plants. *Microelements in biology and their application in agriculture and medicine. Samarkand*. **1990**. P.164.

- Full Paper** \_\_\_\_\_ V.A. Litvinskiy, E.A. Grishina, V.V. Nosikov, and S.L. Belopukhov
- [25] V.A. Litvinsky. Agrochemical properties and agroecological status of sod-podzolic soil after long-term (since 1931) application of fertilizers in the field trial of D.N. Pryanishnikov №2 on DAOS: *PhD Thesis for a Doctor of Philosophy Degree in Biology. RSAU-MTAA. 2017.* (russian)
- [26] *GOST 31640-2012* Feeds. Methods for determination of dry matter content. *Standartinform. Publ. 2012.* 12p. (russian)
- [27] *GOST 26929-94* Raw material and food-stuffs. Preparation of samples. Decomposition of organic matters for analysis of toxic elements. *Standards Publ. 1996.* 12p. (russian)
- [28] *GOST 26934-86* Raw material and food-stuffs. Methods for determination of zinc. *Standards Publ. 1990.* 9p. (russian)
- [29] *GOST R 51301-99* Food-stuffs and food raw materials. Anodic stripping voltammetric methods of toxic traces elements determination (cadmium, lead, copper and zinc). *Standards Publ. 1999.* 25p. (russian)