Thematic Section: Preparative Research. **Full Paper**
Subsection: High Molecular Weight Compounds. *Reference Object Identifier* – ROI: jbc-01/18-55-9-115
The Digital Object Identifier – DOI: 10.37952/ROI-jbc-01/18-55-9-115
Submitted on Jule 27, 2018.

Modifying effect of amphiphilic macromolecular brushes on supramolecular structure of microporous polymers based on macroinitiator and 2,4-toluylene diisocyanate

© **Ruslan S. Davletbaev**,[1]* **Zulfia Z. Faizulina**,[2+] **Aisaf F. Iskhakov**,[2]
Ilnaz I. Zaripov,[2] **Ekaterine S. Grebenschikova**,[2,3] and **Ilsia M. Davletbaeva**[2]
[1] *Department of Materials Science and Technology of Structural Materials. Kazan National Research Technical University. Karl Marx St., 10. Kazan, 420111. Republic of Tatarstan. Russia. Phone: +7 (843) 231-00-27. E-mail: darus@rambler.ru*
[2] *Department of Synthetic Rubber Technology. Kazan National Research Technological University. Karl Marx St., 68. Kazan, 420015. Republic of Tatarstan. Russia. Phone: +7 (843) 231-44-55. E-mail: davletbaeva09@mail.ru*
[3] *Department of Organic Chemistry. Kazan Federal University. Kremlyovskaya St., 18. Kazan, 420008. Republic of Tatarstan. Russia. Phone: (843) 233-74-16. E-mail: jewelery_77@mail.ru.*

*Supervising author, +Corresponding author

Keywords: amphiphilic macromolecular brushes, block copolymers, microporous polymers, modification, supramolecular structure.

Abstract

The influence of amphiphilic macromolecular brushes with polysiloxane backbone on the processes of microphase separation of microporous polyetherisocyanurates was studied. Their supramolecular structure is formed by the core-shell type. Synthesis of microporous polyetherisocyanurates was carry out by interaction 2,4-toluylene diisocyanate with an anion macroinitiator in toluene and reaction conditions leading to formation polyisocyanurates. Block copolymer of propylene oxide with ethylene oxide having a molecular weight 4200 was used as a macroinitiator. Part of the hydroxyl groups in it was replaced by potassium alcoholate. According to measurements of the temperature dependence of loss-angle tangent, the appearance of dipole-group losses and decline of α-transition temperature indicate a significant effect of amphiphilic macromolecular brushes on the processes of microphase separation in the studied polymers. These polymers are characterized by the development of resilient deformation due to the high level of combining polyisocyanurates in the vitrifiable microphase. Using of amphiphilic macromolecular brushes leads to a fivefold increase in reversible deformation, which develops under uniaxial tension of the samples. It is shown that the changes in the elastic deformation and the surface morphology of modified samples of microporous polymers are due to the strengthening of the microphase separation degree of rigid-chain and flexible-chain components.

References

[1] S. Sheiko, B.S. Sumerlin, K. Matyjaszewski. *Progress in Polymer Science.* **2008**. Vol.33. P.759-785.
[2] S.S. Sheiko, S.A. Prokhorova, K.L. Beers, K. Matyjaszewski, I.I. Potemkin, A.R. Khokhlov, M. Möller. *Macromolecules*. **2001**. Vol.34. P.8354-8360.
[3] A.V. Yakimansky, T.K. Meleshko, D.M. Ilgach, M.A. Bauman, T.D. Anan'eva, L.G. Klapshina, S.A. Lermontova, I.V. Balalaeva, W.E. Douglas. *Journal of Polymer Science Part A: Polymer Chemistry.* **2013**. Vol.51. P.4267-4281.
[4] A. Krasova, E. Belyaeva, E. Tarabukina, A. Filippov, T. Meleshko, D. Ilgach, N. Bogorad, A. Yakimansky. *Macromolecular Symposia.* **2012**. Vol.316(1). P.32-42.
[5] M. Zhang, A.H.E. Müller. *Journal of Polymer Science, Part A. Polymer Chemistry*. **2005**. Vol.43. P.3461-3481.
[6] W. Zhao, P. Fonsny, P. Fitzgerald, G.G. Warr, S. Perrier. *Polymer Chemistry*. **2013**. Vol.4. P.2140-2150.
[7] M. Schappacher, A. Deffieux. *Science*. **2008**. Vol.319. P.1512-1515.
[8] Y. Yan, Y. Shi, W. Zhu, Y. Chen. *Polymer*. **2013**. Vol. 54. P.5634-5642.
[9] A. Krasova, E. Belyaeva, E. Tarabukina, A. Filippov, T. Meleshko, D. Ilgach, N. Bogorad, A. Yakimansky. *Macromolecular Symposia*. **2012**. Vol.316(1). P.32-42

[10] H.-Y. Chang, Y.-L. Lin, Y.-J. Sheng. *Macromolecules.* **2012**. Vol.45. P.4778-4789.
[11] X. Lian, D. Wu, X. Song, H. Zhao. *Macromolecules.* **2010**. Vol.43. P.7434-7445.
[12] Alsu A. Akhmetshina, Ilsiya M. Davletbaeva, Ekaterina S. Grebenschikova, Tatyana S. Sazanova, Anton N. Petukhov, Artem A. Atlaskin, Evgeny N. Razov, Ilnaz I. Zaripov, Carla F. Martins, Luísa A. Neves and Ilya V. Vorotyntsev. *Membranes.* **2016**. Vol.6(1). P.2-18.
[13] R.S. Davletbaev, O.R. Gumerova, and I.M. Davletbaeva. Organic-inorganic gels on the basis of thermodynamically incompatible oligomers. *Butlerov Communications.* **2013**. Vol.35. No.9. P.121-124. ROI: jbc-02/13-35-9-121
[14] I.M. Davletbaeva, A.I. Mazil'nikov, I.I. Zaripov, R.S. Davletbaev, A. M. Gumerov, V. V. Parfenov. *Polymer Science. Series B.* **2018**. Vol.60. No.1. P.34-40.
[15] A.I. Akhmetshina, R.S. Davletbaev, I.M. Davletbaeva, A.V. Mikhailova, A.M. Gumerov, R.Ya. Deberdeev. *Russian Journal of Applied Chemistry*. **2015**. Vol.88. No.3. P.495-501.