

## Investigation of the possibility for obtaining rare metal sludge from waste of the heat-resistant nickel alloys

© Ekaterina M. Zhilina,<sup>1+</sup> Sergey A. Krasikov,<sup>1\*</sup> Anastasia S. Gordeeva,<sup>2</sup>  
Svetlana V. Zhidovinova,<sup>1</sup> and Sergey N. Agafonov<sup>1</sup>

<sup>1</sup>Laboratory of the Electrothermy of the Reduction Processes. Institute of Metallurgy UB RAS.

Amundsena St., 101. Ekaterinburg, 620016. Russia. Phone: +7 (343) 232-91-22. E-mail: [ezhilina@bk.ru](mailto:ezhilina@bk.ru)

<sup>2</sup>Department of the Rare-metals and nanomaterials. FTI UrFU. Mira St., 19. Ekaterinburg, 620000. Russia.

\*Supervising author; <sup>†</sup>Corresponding author

**Keywords:** thermodynamic modeling, heat resistant alloys, anodic dissolution, waste processing, nickel alloys.

### Abstract

Approbation of rare metals powder obtaining technology by electrochemical dissolution of heat-resistant nickel alloys waste in sulfuric solutions is performed. Influence of the sulfuric acid concentration and the current density on the intensity of the process is revealed. It was found that in the course of anodic dissolution, Re, Co, Cr mostly transitioned to the electrolyte solution, and W, Ta, Nb to the slurry. Ni, Co, Mo, and Al transitioned in significant amounts and approximately the same proportion to the slurry and to the solution. X-ray diffraction analysis showed that nickel was present in the slurry as a solid solution. Tungsten and tantalum were formed as the oxides with the lowest degrees of oxidation.

### References

- [1] A.A. Palant, V.A. Pavlovsky. Physico-chemical and technological fundamentals of electrochemical processing for metal tungsten waste. *Metal Technology*. **2003**. No.11. P.3-7. (russian)
- [2] A.G. Kasikov, A.M. Petrova. Recycling of rhenium from waste heat-resistant and special alloys. *Metal Technology*. **2010**. No.2. P.2-12. (russian)
- [3] A.A. Palant, V.A. Bruckvin, O.M. Gracheva. Electrochemical processing of waste of tungsten-rhenium alloys under the influence of alternating current of industrial frequency. *Electrometallurgy*. **2005**. No.5. P.31-34.
- [4] A.A. Palant, O.M. Levchuk, V.A. Bryukvin, A.M. Levin, V.M. Paretsky. Complex electrochemical processing of metal waste of rhenium-containing high-temperature nickel alloy in sulphate electrolytes. *Electrometallurgy*. **2010**. No.7. P.29-33.
- [5] A. Roine. Outokumpu HSC Chemistry for Windows. Chemical Reaction and Equilibrium Software with Extensive Thermochemical Database. *Pori: Outokumpu Research OY*. **2006**. 448p.
- [6] E.M. Zhilina, S.A. Krasikov, S.N. Agafonov, L.B. Vedmid, and S.V. Zhidovinova. Thermodynamic and kinetic features of joint aluminothermic reduction of titanium and zirconium from oxides. *Butlerov Communications*. **2016**. Vol.45. No.1. P.130-135. ROI: jbc-02/16-45-1-130
- [7] E.M. Zhilina, S.N. Agafonov, A.S. Russkih, S.V. Zhidovinova, V.P. Chentsov, and S.A. Krasikov. Aluminum interaction with multicomponent oxide system of zirconium, titanium, silicon, iron. *Butlerov Communications*. **2017**. Vol.51. No.7. P.55-60. ROI: jbc-02/17-51-7-55
- [8] S.A. Krasikov, A.A. Ponomarenko, S.N. Agafonov, T.I. Chupakhina, G.V. Bazuev, M.A. Ponomareva. Recycling of high-temperature alloys waste to produce a semi-finished product for the manufacture of rhenium catalysts. Materials of the 2nd Russian Conference with international participation "New approaches in the chemical technology of mineral raw materials. Application of extraction and sorption. St. Petersburg 03-06 June 2013, Part 2, Apatity: Ed. *Kola Scientific Center of the Russian Academy of Sciences*. **2013**. P.142-143.