

Study of supramolecular reorganizations of native cellulose at different stages of moistening

© Yury B. Grunin,^{1*} Maria S. Ivanova,¹ Tatiana Yu. Grunina,²
Gocha Sh. Gogelashvili, and Daria S. Masas¹

¹Department to Physics. Volga State University of Technology. Lenin Sq., 3. Yoshkar-Ola, 424000.

Mari El Republic. Russia. Phone: +7 (8362) 68-68-04. E-mail: GruninYB@volgatech.net

²Department to Biophysics. Lomonosov Moscow State University. Leninskie Gory, 3, Bld.12.

Moscow, 119991. Russia. Phone: +7 (495) 939-27-76. E-mail: info@mail.bio.msu.ru

*Supervising author; ⁺Corresponding author

Keywords: cellulose, NMR relaxation, water adsorption, degree of crystallinity, surface area.

Abstract

Based on the modernized scheme of the structural organization of microfibrils of native cellulose, the possibility of determining its degree of crystallinity, the transverse dimensions of crystallites, as well as the content of elementary fibrils in microfibrils using ¹H NMR and sorption measurements is shown. The mechanism of defibrillating cellulose at different stages of its wetting is established, which is associated with the appearance of a wedging pressure on the part of the condensed liquid in the micropores, which leads to changes in its supramolecular structure. In this case, the rate of spin-lattice relaxation of the “cellulose-water” system is sharply increased at low moisture contents, which is explained by the formation of new active centers at the interface of the forming section with water molecules adsorbed on them, which accelerate the energy exchange of the proton spin system with a “lattice”. This process is accompanied by a decrease in the degree of crystallinity of the sample at all stages of cellulose moistening. The nature of the decrease in the transverse dimensions of crystallites in the framework of the proposed model of the layered structure of cellulose is established. The possibility of determining the content of elementary fibrils in a microfibril based on data on the degree of crystallinity of cellulose is shown. The process of penetration of adsorbed water molecules into the space between the elementary fibrils in the microfibril structure of cellulose is considered. A scheme is proposed for the formation of monolayer adsorption of water on the active surface of cellulose, which takes into account the dipole-dipole interaction in the “adsorbent – adsorbate” system, which turns into the formation of a hydrogen bond. A hypothesis is expressed about the formation of a V-structure of adsorbed water, when this molecule interacts with an active center to form an acceptor hydrogen bond with a hydroxyl group at the sixth carbon atom. In the adjacent glucopyranose ring of the surface cellulose chain, the adsorbate molecule forms two donor hydrogen bonds with the oxygen atoms of the hydroxyl groups at the second and third positions of the carbon atoms.

References

- [1] V.P. Nikolaev, A.A. Ageev, Y.G. Frolov. Isopiestic method of analysis. *Works MKhTI them. D.I. Mendeleev*. **1978**. Iss.101. 84-101p. (russian)
- [2] NMR analyzer «Spin Track». URL: <http://www.nmr-design.com>.
- [3] L.Y. Grunin [et al.]. An NMR relaxation and spin diffusion study of cellulose structure during water adsorption. *Biophysics*. **2017**. Vol.62. Iss.2. P.266-275. (russian)
- [4] Y.B. Grunin [et al.]. Microstructure of cellulose: NMR relaxation study. *Polymer Science. Series A*. **2012**. Vol.54. No.3. P.201-208.
- [5] D.P. Delmer, Y. Amor Cellulose biosynthesis. *The Plant Cell*. **1995**. Vol.7. P.987-1000.
- [6] Y.B. Grunin [et al.]. Features of the structural organization and sorption properties of cellulose. *Polymer Science Series A*. **2015**. Vol.57. Iss.1. P.43-51.
- [7] Q. Li, S. Renneckar Supramolecular structure characterization of molecularly thin cellulose I nanoparticles. *Biomacromolecules*. **2011**. Vol.12. No.3. P.650-659.
- [8] S.-Y. Ding, M.E. Himmel The maize primary cell wall microfibril: A new model derived from direct visualization. *Journal of Agricultural and Food Chemistry*. **2006**. Vol.54. P.597-606.

- Full Paper** _____ Yu.B. Grunin, M.S. Ivanova, T.Yu. Grunina, G.Sh. Gogelashvili, and D.S. Masas
- [9] L.H. Thomas Structure of cellulose microfibrils in primary cell walls from collenchyma. *Plant Physiology*. **2013**. Vol.161. P.465-476.
 - [10] Y. Nishiyama [et al.]. Neutron crystallography, molecular dynamics, and quantum mechanics studies of the nature of hydrogen bonding in cellulose Ib. *Biomacromolecules*. **2008**. Vol.9. P.3133-3140.
 - [11] Y. Nishiyama Structure and properties of the cellulose microfibril. *Journal of Wood Science*. **2009**. Vol.55. P.241-249.
 - [12] H. Chanzy Aspects of cellulose structure. J.F. Kennedy, G.O. Phillips, P.A. Williams Cellulose sources and exploitation: industrial utilisation biotechnology and physicochemical properties. *Chichester, UK. Ellis Horwood*. **1990**. P.3-12.
 - [13] C. Verlhac, J. Dedier, H. Chanzy Availability of surface hydroxyl groups in *valonia* and bacterial cellulose. *Journal of Polymer Science. Part A: Polymer Chemistry*. **1990**. Vol.28(5). P.1171-1177.
 - [14] Y. Nishiyama [et al.]. Crystal structure and hydrogen bonding system in cellulose Ia from synchrotron X-ray and neutron fiber diffraction. *Journal of the American Chemical Society*. **2003**. Vol.125. P.14300-14306.
 - [15] Y. Nishiyama, P. Langan, H. Chanzy. Crystal structure and hydrogen-bonding system in cellulose Ib from synchrotron X-ray and neutron fiber diffraction. *Journal of the American Chemical Society*. **2002**. Vol.124. P.9074-9082.
 - [16] S.J. Gregg, K.S.W. Sing Adsorption, Surface area and Porosity. *Moscow*. **1984**. 2ed. 306p. (russian)
 - [17] Y.B. Grunin [et al.]. Features of the sorption of water vapor and nitrogen on cellulose. *Russian Journal of Physical Chemistry A*. **2013**. Vol.87. No.1. P.100-103.
 - [18] Y.B. Grunin [et al.]. Proton magnetic relaxation study of the thermodynamic characteristics of water adsorbed by cellulose fibers. *Russian Journal of Physical Chemistry A*. **2016**. Vol.90. No.11. P. 2249-2253.
 - [19] Y.B. Grunin [et al.]. Nanostructure and sorption properties of cellulose microfibrils. Structure and physico-chemical properties of cellulose and nanocomposites based on them: monograph. Edited by L.A. Aleshina, V.A. Gurtov, N.V. Meleh. *Petrozavodsk: PetrGU*. **2014**. 240p. (russian)
 - [20] Z.A. Rogovin Cellulose Chemistry. *Moscow*. **1972**. 520p. (russian)
 - [21] W.G. Glasser [et al.]. About the structure of cellulose: debating the Lindman Hypothesis. *Cellulose*. **2012**. Vol.19. P.589-598.
 - [22] Y.I. Gerasimov Physical chemistry course: vol. 1-2. *Moscow*. **1964**. Vol.1. 624p. (russian)
 - [23] Y. Habibi, L.A. Lucia, O.J. Rojas Cellulose nanocrystals: chemistry, self-assembly, and applications. *Chemical Reviews*. **2010**. Vol.110. P.3479-3500.
 - [24] R.M. Brown. Cellulose structure and biosynthesis: What is in store for the 21-st century? *Journal of Polymer Science. Part A: Polymer Chemistry*. **2004**. Vol.42. P.487-495.
 - [25] Y.B. Grunin [et al.]. Supramolecular reorganizations in cellulose during hydration. *Biophysics*. **2015**. Vol.60. No.1. P.43-52.
 - [26] A.D. French, M.S. Cintron Cellulose polymorphy, crystallite size, and the Segal Crystallinity Index. *Cellulose*. **2013**. Vol.20. P.583-588.
 - [27] H.F. Stoeckli, P. Rebstein, L. Ballerini On the assessment of microporosity in active carbons, a comparison of theoretical and experimental data. *Carbon*. **1990**. Vol.28(6). P.907-909.
 - [28] N. Baiklz, L. Segal. Cellulose and cellulose derivatives: vol. 1-2. Edited by Z.A. Rogovin. *Moscow*. **1974**. Vol.1. 500p. (russian)