

"Structure-property" relationships for binding different organic vaporous by dendrimers

© Alexander V. Gerasimov,^{1a*+} Marat Ah. Ziganshin,^{1b*} Valery I. Kovalenko,^{2c}
Valery V. Gorbatchuk,^{1d*} Anne-Marie Caminade,^{3e} and Jean-Pierre Majoral^{3f}

¹ Physical Chemistry Division. A.M. Butlerov Institute of Chemistry. Kazan (Volga Region) Federal University. Kremlevskaya St. 18. Kazan, 420008, Tatarstan Republic. Russia.

Phone: +7 (843) 233-73-09. Fax: +7 (843) 233-74-16.

E-mail: ^{a)} Alexander.Gerasimov@ksu.ru ; ^{b)} Marat.Ziganshin@ksu.ru ; ^{d)} Valery.Gorbatchik@ksu.ru;

² Physico-Chemical Research Division. A.E. Arbuzov Institute of Organic and Physical Chemistry. Akad. Arbuzova St., 8. Kazan, 420088. Tatarstan Republic. Russia.

Phone: +7 (843) 273-22-83. E-mail: ^{c)} koval@iopc.ru;

³ Institute of Chemistry. National Center for Scientific Research. 205 route de Narbonne, 31077 Toulouse cedex 4. France. E-mail: ^{e)} caminade@lcc-toulouse.fr ; ^{f)} majoral@lcc-toulouse.fr

*Supervising author; +Corresponding author

Keywords: phosphorus-containing dendrimer, nitriles, alcohols, alkanes, quartz crystal microbalance, "structure-properties" relationship.

Abstract

In this paper, sorption properties of organophosphorus dendrimers of various generations were studied using quartz crystal microbalance. Linear "structure-properties" relationships are revealed. The technique of allocation of the main intermolecular interactions which will allow facilitating the solution of the problem of predicting receptor properties of complex supramolecular systems is offered.