

## Investigation of chemical processes that ensure the strength of adhesion of glass-enamel coating to steel pipelines

© Elena A. Yatsenko,\* Anna V. Ryabova,<sup>†</sup> Lyudmila V. Klimova, Anna Yu. Fanda, Vera V. Kerimova, Lyubov A. Yatsenko, and Andrey A. Chumakov

General Chemistry and Technology of Silicates Division. M.I. Platov South-Russian State Polytechnic University (NPI). Prosveshcheniya St., 132. Novocherkassk, 346428. Rostov Region. Russia.

Phone: +7 (863) 525-21-35. E-mail: [annet20002006@yandex.ru](mailto:annet20002006@yandex.ru)

\*Supervising author; <sup>†</sup>Corresponding author

**Keywords:** corrosion protection, glass-enamel coating, steel pipelines, boration, adhesion strength, chemical processes that promote adhesion of enamel to steel.

### Abstract

Pipes with a protective coating are widely used in the construction of pipelines for various purposes. Internal glass-enamel coatings protect pipelines from the corrosive effects of the transported medium, reduce roughness and increase throughput, which ensures their durability. The authors of the article have developed a composition of a single-layer glass-enamel coating based on the diatomite of the Chernoyarsky deposit of the Far East. The article examines the influence of various methods of preparing the steel base on the adhesion strength in the metal-enamel system and the physicochemical processes that occur during the formation of a glass-enamel coating during firing. It was established that pretreatment by chemical boring provides a higher adhesion strength of single-layer enamel with the steel surface of the product compared with the traditional method of metal surface treatment (degreasing, etching, neutralization) and shot blasting. It was revealed that in the process of boronation a layer of iron borides FeB and Fe<sub>2</sub>B is formed on the surface of steel, which was confirmed by the NGR spectroscopy method. The mechanism of adhesion in enamel-steel systems during pre-boring of steel is the result of not only electrochemical interactions between the glass-melt coating melt and the steel surface, but also mechanical anchoring due to the micro roughness formed by borides crystals.

### References

- [1] A.V. Ryabova, E.A. Yatsenko, V.V. Khoroshavina, L.V. Klimova. Glass-enamel corrosion-resistant coatings for steel pipelines. *Glass and Ceramics*. **2017**. Vol.74. No.7-8. P.282-287.
- [2] S.V. Chuppina. The formation of materials organosilicate compositions. *Butlerov Communications*. **2007**. Vol.12. No.7. P.1-9. ROI: jbc-02/07-12-7-1
- [3] A.V. Ryabova, E.A. Yatsenko, L.V. Klimova, E.V. Philatova E.B., A.Yu. Velichko, V.V. Khoroshavina. Influence of the structure and phase composition of glass-enamel coatings to protect steel products from corrosion on their properties. *Proceedings of higher educational institutions. North Caucasus region. Series: Technical Sciences*. **2017**. No.1(193). P.93-99. (russian)
- [4] A. Petzold, G. Peshman. Enamel and enameling: Ref. edition. Tran. from Ger. *Moscow: Metallurgy*. **1990**. 576p. (russian)
- [5] E.A. Yatsenko. Study of the effect of preliminary preparation of dissimilar metals on the quality of the enamel coating. *Anticorrosion Protection Practice*. **2010**. No.1(55). P.5-12. (russian)
- [6] E.A. Yatsenko, E.B. Dzyuba, N.V. Veropakha. The study of the influence of the method of processing the surface of steel as a factor in the formation of a contact layer on the adhesion strength of the metal coating system. *News of St. Petersburg State Institute of Technology (Technical University)*. **2012**. No.16(42). P.119-128. (russian)
- [7] E.A. Yatsenko. Phase composition and structure of the contact layer of the metal-silicate coating system. *Rostov on/D: NCHS RC*. **2007**. 152 p. (russian)
- [8] Technology of enamel and protective coatings: Tutorial. Edited by L.L.Braginoy, A.P. Zubekhina. *Kharkiv: NTU «KPI»; Novocherkassk: SRSTU (NPI)*. **2003**. 484p.